

List of species in the Black Mountain study area, 1927 to April 2017

Explanation of table columns and codes

Plant names, origin and habit (columns 1–5)

**Origin (see Table 1 of paper for definitions):** E = Exotic species; N = Native (indigenous) species; NW = Native Weed; NL = Native Landscaping species

**Habit (see Table 2 of paper for definitions):** A = Aquatic; C = Climber; Fe = Fern; F = Forb; Gr = Graminoid; G = Grass; M = Mistletoe; S = Shrub; SS = Subshrub; T = Tree

**1969 (columns 6 and 7):** these columns refer to species recorded to the end of 1969

**Source of record (column 6):** GML = species included in Gray and McKee (1969) List; spec = species absent from the Gray and McKee List but with a pre-1970 herbarium specimen

**D/A (Distribution/Abundance) rating (column 7)**

**Distribution:** r = restricted; R = rubbish dump area; s = sparse; vr = very restricted; w = widespread

**Abundance:** c = common; fc = fairly common; lc = locally common; nc = not common; oc = once collected; r = rare; vc = very common

**≤1980 (column 8):** this column shows the year of species last record prior to 1981. A “1960s” entry indicates species in the Gray and McKee list for which no voucher specimen was cited, or the voucher specimen has not been relocated, or the voucher specimen was located outside the defined Black Mountain area.

**1981–2012 (column 9):** this column shows the year of species last record from 1981 to 2012 (inclusive); many species have no record during this period. A “2000s” entry indicates species for which the exact year of the record is not known.

**Dec 2013 to Ap 2017 (column 10):** this column shows species recorded during the period from December 2013 to the end of April 2017, primarily from the intensive field work carried out.

**Recorded?:** Yes = species recorded from 2007 to the end of April 2017 (inclusive).

**2007–2017 (columns 11–13):** these columns indicate the current Black Mountain area flora

**D/A (Distribution/Abundance) rating (column 11)** (see Table 3 for definition of 2017 distribution ratings)

**Distribution:** r = restricted; s = sparse; vr = very restricted; w = widespread

**Abundance:** c = common; fc = fairly common; lc = locally common; le = locally extinct; nc = not common; oc = once collected; r = rare; vc = very common

**Location (column 12):** BGN = species only recorded in the ANBG North Annex; BGS = species only recorded in the ANBG South Annex (Bush Precinct); BMNR = species recorded in the Black Mountain Nature Reserve and areas between the reserve boundary and adjacent roads. No = species with no verifiable record during this period.

**Broad habitat (column 13):** CK = creek lines, broad drainage flats and seepage areas; D = man-made dams; DSF = Dry Sclerophyll Forest; GW = Grassy Woodland and grassland derived from it (mostly in the south west corner and lowest areas in the north); HD = Highly Disturbed areas, including road verges/easements/cuttings, edge of walking tracks etc.

| Plant names, origin and habit |                                   |                 |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|-----------------------------------|-----------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name                   | Common Name     | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| <b>FERNS</b>                  |                                   |                 |        |       |                  |            |                     |                     |           |            |          |               |
| Aspleniaceae                  | <i>Asplenium flabellifolium</i>   | Necklace Fern   | N      | Fe    | GML              | s/nc       | 1975                |                     | Yes       | s/nc       | BMNR     | DSF           |
| Aspleniaceae                  | <i>Pleurosorus rutifolius</i>     | Blanket Fern    | N      | Fe    | GML              | s/nc       | 1972                |                     | Yes       | s/nc       | BMNR     | DSF           |
| Aspleniaceae                  | <i>Pleurosorus subglandulosus</i> | Blanket Fern    | N      | Fe    | spec             |            | 1962                |                     |           |            | No       |               |
| Blechnaceae                   | <i>Blechnum cartilagineum</i>     | Gristle Fern    | N      | Fe    |                  |            | 1978                |                     |           | le         | No       |               |
| Blechnaceae                   | <i>Blechnum minus</i>             | Soft Water Fern | N      | Fe    | GML              | vr/oc      | 1960s               |                     | Yes       | vr/r       | BMNR     | CK            |

| Plant names, origin and habit |   |                             |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|---|-----------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name   | Common Name                 | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Blechnaceae                   | <i>Doodia australis</i>   | Rasp Fern                   | U      | Fe    |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | CK            |
| Cyatheaceae                   | <i>Cyathea australis</i> subsp. <i>australis</i>                  | Soft Treefern               | U      | Fe    |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | CK            |
| Dennstaedtiaceae              | <i>Hypolepis rugosula</i>   | Ground fern                 | N      | Fe    |                  |            | 1978                |                     | Yes       | vr/r       | BMNR     | CK            |
| Dennstaedtiaceae              | <i>Pteridium esculentum</i> subsp. <i>esculentum</i>              | Common Bracken              | N      | Fe    | GML              | s/lc       | 1962                |                     | Yes       | r/lc       | BMNR     | DSF           |
| Dryopteridaceae               | <i>Polystichum proliferum</i>                                     | Mother Shield Fern          | N      | Fe    |                  |            | 1978                |                     | Yes       | r/r        | BMNR     | CK            |
| Lindsaeaceae                  | <i>Lindsaea microphylla</i>                                       | Lacy Wedge Fern             | NW     | Fe    |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | HD            |
| Ophioglossaceae               | <i>Ophioglossum lusitanicum</i>                                   | Austral Adder's Tongue      | N      | Fe    | GML              | r/r        | 1964                | 1995                | Yes       | r/r        | BMNR     | CK            |
| Pteridaceae                   | <i>Adiantum aethiopicum</i>                                       | Common Maidenhair           | N      | Fe    | GML              | r/lc       | 1969                |                     | Yes       | r/lc       | BMNR     | CK            |
| Pteridaceae                   | <i>Cheilanthes austrotenuifolia</i>                               | Rock Fern                   | N      | Fe    | GML              | w/c        | 1975                | 1989                | Yes       | r/nc       | BMNR     | CK            |
| Pteridaceae                   | <i>Cheilanthes distans</i>  | Shaggy Rock Fern            | N      | Fe    |                  |            |                     |                     | Yes       | vr/lc      | BGS      | DSF           |
| Pteridaceae                   | <i>Cheilanthes sieberi</i> subsp. <i>sieberi</i>                  | Mulga Rock Fern             | N      | Fe    | spec             |            | 1969                | 1986                | Yes       | w-s/c      | BMNR     | DSF           |
| Pteridaceae                   | <i>Pellaea calidirupium</i>                                       | Creeping Sickle Fern        | N      | Fe    | spec             |            | 1949                | 2009                | Yes       | r/nc       | BMNR     | CK            |
| Pteridaceae                   | <i>Pellaea falcata</i>  | Sickle Fern                 | N      | Fe    | GML              | r/nc       | 1964                |                     | Yes       | r/r        | BMNR     | CK            |
| Pteridaceae                   | <i>Pteris tremula</i>   | Tender Brake                | N      | Fe    |                  |            |                     |                     | Yes       | r/lc       | BMNR     | CK            |
| <b>CONIFERS</b>               |   |                             |        |       |                  |            |                     |                     |           |            |          |               |
| Cupressaceae                  | <i>Callitris endlicheri</i>                                       | Black Cypress Pine          | N      | T     | GML              | vr/r       | 1979                |                     | Yes       | s/lc       | BMNR     | DSF           |
| Cupressaceae                  | <i>Callitris glaucophylla</i>                                     | White Cypress Pine          | N      | T     |                  |            |                     | 2010                | Yes       | vr/oc      | BMNR     | DSF           |
| Cupressaceae                  | <i>Hesperocyparis arizonica</i>                                   | Arizona Cypress             | E      | T     |                  |            |                     | 2009                | Yes       | vr/oc      | BMNR     | DSF           |
| Pinaceae                      | <i>Pinus radiata</i>  | Radiata Pine, Monterey Pine | E      | T     | GML              | vr/r       | 1964                |                     | Yes       | vr/r       | BMNR     | DSF, GW       |
| <b>DICOTYLEDONS</b>           |   |                             |        |       |                  |            |                     |                     |           |            |          |               |
| Adoxaceae                     | <i>Viburnum tinus</i>   | Laurustinus                 | E      | S     |                  |            |                     | 2009                | Yes       | vr/r       | BMNR     | DSF           |
| Aizoaceae                     | <i>Carpobrotus aequilaterus</i>                                   | Chilean Pigface             | E      | SS    | GML              | vr/nc      | 1964                |                     |           | le?        | No       |               |
| Amaranthaceae                 | <i>Alternanthera</i> sp. A Flora of New South Wales (M.Gray 5187) | Hairy Joyweed               | N      | F     | GML              | s/nc       | 1963                |                     | Yes       | s/nc       | BMNR     | GW            |
| Amaranthaceae                 | <i>Amaranthus powellii</i>  | Powell's Amaranth           | E      | F     | GML              | s/lc       | 1972                |                     |           |            | No       |               |
| Apiaceae                      | <i>Conium maculatum</i>   | Hemlock                     | E      | F     |                  |            |                     | 1988                | Yes       | s/lc       | BMNR     | DSF           |
| Apiaceae                      | <i>Cyclosporum leptophyllum</i>                                   | Slender Celery              | E      | F     |                  |            |                     |                     | Yes       | vr/r       | BMNR     | HD            |
| Apiaceae                      | <i>Daucus glochidiatus</i>  | Australian Carrot           | N      | F     | GML              | r/lc       | 1969                |                     | Yes       | s/nc       | BMNR     | GW            |
| Apiaceae                      | <i>Foeniculum vulgare</i>   | Fennel                      | E      | F     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | HD            |
| Apiaceae                      | <i>Oreomyrrhis eriopoda</i>                                       | Australian Caraway          | N      | F     | GML              | r/nc       | 1964                | 2002                |           |            | No       |               |

| Plant names, origin and habit |  |                                    |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|--|------------------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name  | Common Name                        | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Apocynaceae                   | <i>Araujia sericifera</i>                                | White Bladder Plant                | E      | C     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | HD            |
| Apocynaceae                   | <i>Vinca major</i>                                       | Blue Periwinkle                    | E      | F     |                  |            |                     |                     | Yes       | r/lc       | BMNR     | HD            |
| Araliaceae                    | <i>Astrotricha ledifolia</i>                             | Common Starhair                    | N      | S     | GML              | r/nc       | 1969                |                     | Yes       | s/nc       | BMNR     | DSF           |
| Araliaceae                    | <i>Hedera helix</i>                                      | English Ivy                        | E      | C     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | DSF           |
| Araliaceae                    | <i>Hydrocotyle laxiflora</i>                             | Stinking Pennywort                 | N      | F     | GML              | w/c        | 1970                | 1986                | Yes       | s/nc       | BMNR     | DSF, GW       |
| Araliaceae                    | <i>Hydrocotyle sibthorpioides</i>                        | Lawn Pennywort                     | N      | F     |                  |            |                     |                     | Yes       | r/lc       | BMNR     | CK            |
| Asteraceae                    | <i>Arctotheca calendula</i>                              | Capeweed                           | E      | F     | GML              | s/lc       | 1964                | 1984                | Yes       | r/nc       | BMNR     | HD            |
| Asteraceae                    | <i>Bedfordia arborescens</i>                             | Tree Blanketleaf                   | N      | S     |                  |            |                     | 1995                |           | le         | No       |               |
| Asteraceae                    | <i>Brachyscome diversifolia</i> var. <i>diversifolia</i> | Large-headed Daisy                 | N      | F     |                  |            |                     | 1993                |           | vr/lc      | No       |               |
| Asteraceae                    | <i>Brachyscome rigidula</i>                              | Cut-leaved Daisy                   | N      | F     | GML              | s/fc       | 1975                | 1996                | Yes       | s/nc       | BMNR     | DSF           |
| Asteraceae                    | <i>Brachyscome spathulata</i> subsp. <i>spathulata</i>   | Spoon-leaved Daisy                 | N      | F     | GML              | r/lc       | 1970                | 1993                | Yes       | r/lc       | BMNR     | DSF           |
| Asteraceae                    | <i>Carduus pycnocephalus</i>                             | Slender Thistle                    | E      | F     | GML              | r/lc       | 1978                | 1983                | Yes       | r/lc       | BMNR     | DSF, CK       |
| Asteraceae                    | <i>Carduus tenuiflorus</i>                               | Slender Thistle                    | E      | F     | GML              | r/lc       | 1969                |                     | Yes       | r/lc       | BMNR     | DSF           |
| Asteraceae                    | <i>Carthamus lanatus</i>                                 | Saffron Thistle                    | E      | F     | GML              | s/lc       | 1961                |                     | Yes       | s/lc       | BMNR     | GW            |
| Asteraceae                    | <i>Cassinia aculeata</i>                                 | Dollybush                          | N      | S     | GML              | s/lc       | 1962                | 2010                | Yes       | r/r        | BMNR     | DSF           |
| Asteraceae                    | <i>Cassinia sifton</i>                                   | Chinese Shrub                      | NW     | S     | GML              | r/nc       | 1964                |                     | Yes       | s/nc       | BMNR     | DSF           |
| Asteraceae                    | <i>Cassinia longifolia</i>                               | Cauliflower Bush                   | N      | S     | GML              | s/lc       | 1962                | 2009                | Yes       | w/lc       | BMNR     | DSF           |
| Asteraceae                    | <i>Cassinia quinquefaria</i>                             | Sifton Bush                        | N      | S     | GML              | w/c        | 1970                | 2006                | Yes       | w/c        | BMNR     | DSF           |
| Asteraceae                    | <i>Centipeda cunninghamii</i>                            | Common Sneezeweed                  | N      | F     | GML              | r/lc       | 1949                | 2006                | Yes       | r/nc       | BMNR     | CK            |
| Asteraceae                    | <i>Centipeda elatinoides</i>                             | Spreading Sneezeweed               | N      | F     | GML              | s/lc       | 1962                |                     |           |            | No       |               |
| Asteraceae                    | <i>Chondrilla juncea</i>                                 | Skeleton Weed                      | E      | F     | GML              | w/fc       | 1964                |                     | Yes       | s/lc       | BMNR     | HD            |
| Asteraceae                    | <i>Chrysocephalum apiculatum</i>                         | Yellow Buttons, Common Everlasting | N      | F     | GML              | w/fc       | 1935                |                     | Yes       | w/fc       | BMNR     | GW            |
| Asteraceae                    | <i>Chrysocephalum semipapposum</i>                       | Clustered Everlasting              | N      | F     | GML              | w/fc       | 1975                | 1996                | Yes       | s/lc       | BMNR     | DSF, GW       |
| Asteraceae                    | <i>Cirsium vulgare</i>                                   | Spear Thistle                      | E      | F     | GML              | s/lc       | 1964                |                     | Yes       | s/lc       | BMNR     | DSF           |
| Asteraceae                    | <i>Coronidium gunnianum</i>                              | Pale Everlasting                   | N      | F     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | CK            |
| Asteraceae                    | <i>Coronidium monticola</i>                              | An everlasting daisy               | N      | F     | GML              | s/nc       | 1975                | 1981                | Yes       | r/r        | BMNR     | HD            |
| Asteraceae                    | <i>Coronidium oxylepis</i> subsp. <i>lanatum</i>         | Woolly-pointed Everlasting         | N      | F     | GML              | r/lc       | 1969                | 2012                | Yes       | s/fc       | BMNR     | DSF           |

| Plant names, origin and habit |  |                            |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|--|----------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name  | Common Name                | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Asteraceae                    | <i>Cotula australis</i>                                | Common Cotula              | N      | F     | GML              | w/lc       | 1964                | 1983                | Yes       | s/lc       | BMNR     | GW, DSF       |
| Asteraceae                    | <i>Craspedia variabilis</i>                            | Variable Billy Buttons     | N      | F     | GML              | s/lc       | 1965                | 1985                | Yes       | r/nc       | BMNR     | GW            |
| Asteraceae                    | <i>Crepis capillaris</i>                               | Smooth Hawksbeard          | E      | F     | GML              | r/nc       | 1961                |                     | Yes       | s/lc       | BMNR     | CK, HD        |
| Asteraceae                    | <i>Cymbonotus lawsonianus</i>                          | Bear's Ears                | N      | F     | GML              | w/lc       | 1969                | 1995                |           |            | No       |               |
| Asteraceae                    | <i>Cymbonotus preissianus</i>                          | Austral Bear's Ears        | N      | F     | GML              | w/lc       | 1964                |                     | Yes       | s/lc       | BMNR     | DSF           |
| Asteraceae                    | <i>Dittrichia graveolens</i>                           | Stinkwort                  | E      | F     | GML              | s/lc       | 1959                |                     | Yes       | s/lc       | BMNR     | HD            |
| Asteraceae                    | <i>Erigeron bonariense</i>                             | Flax-leaved Fleabane       | E      | F     | GML              | s/lc       | 1963                | 2000s               |           | s/lc       | No       | RV            |
| Asteraceae                    | <i>Erigeron karvinskianus</i>                          | Seaside Daisy              | E      | F     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | CK            |
| Asteraceae                    | <i>Erigeron sumatrensis</i>                            | Tall Fleabane              | E      | F     | GML              | s/lc       | 1974                |                     | Yes       | s/lc       | BMNR     | HD            |
| Asteraceae                    | <i>Euchiton involucratus</i>                           | Star Cudweed               | N      | F     | GML              | s/lc       | 1960s               | 1989                | Yes       | r/nc       | BMNR     | GW            |
| Asteraceae                    | <i>Euchiton japonicus</i>                              | Creeping Cudweed           | N      | F     | GML              | s/lc       | 1960s               | 1995                | Yes       | r/nc       | BMNR     | GW            |
| Asteraceae                    | <i>Euchiton sphaericus</i>                             | Japanese Cudweed           | N      | F     | spec             |            | 1978                |                     | Yes       | s/lc       | BMNR     | GW            |
| Asteraceae                    | <i>Gamochaeta calviceps</i>                            | Grey Cudweed               | E      | F     | spec             |            | 1962                |                     | Yes       | s/lc       | BMNR     | GW            |
| Asteraceae                    | <i>Gamochaeta purpurea</i>                             | Spiked Cudweed             | E      | F     |                  |            |                     |                     | Yes       | r/nc       | BMNR     | GW            |
| Asteraceae                    | <i>Helianthus tuberosus</i>                            | Jerusalem Artichoke        | E      | F     | GML              | r/r        | 1963                |                     |           |            | No       |               |
| Asteraceae                    | <i>Hypochaeris glabra</i>                              | Smooth Catsear             | E      | F     | GML              | w/fc       | 1969                |                     | Yes       | w/fc       | BMNR     | DSF, GW, HD   |
| Asteraceae                    | <i>Hypochaeris radicata</i>                            | Flatweed, Common Cat's-ear | E      | F     | GML              | w/c        | 1970                |                     | Yes       | w/c        | BMNR     | DSF, GW, HD   |
| Asteraceae                    | <i>Isoetopsis graminifolia</i>                         | Grass Cushions             | N      | F     | GML              | s/lc       | 1960s               |                     |           |            | No       |               |
| Asteraceae                    | <i>Lactuca saligna</i>                                 | Wild Lettuce               | E      | F     | GML              | vr/r       | 1962                |                     |           |            | No       |               |
| Asteraceae                    | <i>Lactuca serriola</i>                                | Prickly Lettuce            | E      | F     | GML              | s/lc       | 1960s               |                     | Yes       | r/nc       | BMNR     | GW            |
| Asteraceae                    | <i>Leptorhynchus elongatus</i>                         | Lanky Buttons              | N      | F     | GML              | r/nc       | 1960s               |                     | Yes       | vr/oc      | BMNR     | DSF           |
| Asteraceae                    | <i>Leptorhynchus squamatus</i> subsp. <i>squamatus</i> | Scaly Buttons              | N      | F     | GML              | w/fc       | 1969                | 1981                | Yes       | r/lc       | BMNR     | GW            |
| Asteraceae                    | <i>Leucochrysum albicans</i>                           | Hoary Sunray               | N      | F     | spec             |            | 1964                |                     | Yes       | r/nc       | BMNR     | DSF, HD       |
| Asteraceae                    | <i>Microseris walteri</i>                              | Yam Daisy, Murnong         | N      | F     | GML              | s/nc       | 1978                |                     | Yes       | s/nc       | BMNR     | GW, DSF       |
| Asteraceae                    | <i>Olearia erubescens</i>                              | Silky Daisybush            | U      | S     | spec             |            | 1953                | 2009                | Yes       | r/r        | BMNR     | DSF           |
| Asteraceae                    | <i>Olearia lirata</i>                                  | Snowy Daisybush            | N      | S     |                  |            | 1974                | 1998                |           | s/r        | No       |               |

| Plant names, origin and habit |   |                           |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|---|---------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name   | Common Name               | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Asteraceae                    | <i>Olearia microphylla</i>                              | Twiggy Daisybush          | N      | S     | GML              | r/nc       | 1969                | 2006                | Yes       | s/nc       | BMNR     | DSF, HD       |
| Asteraceae                    | <i>Olearia</i> sp.                                      |                           | NW     | S     |                  |            |                     | 2009                |           | vr/oc      | BGS      | HD            |
| Asteraceae                    | <i>Olearia tenuifolia</i>                               | Narrow-leaved Daisybush   | N      | S     | GML              | r/nc       | 1971                | 2008                | Yes       | r/r        | BMNR     | DSF           |
| Asteraceae                    | <i>Onopordum acanthium</i>                              | Scotch Thistle            | E      | F     | spec             |            | 1947                |                     | Yes       | r/r        | BGS      | HD            |
| Asteraceae                    | <i>Ozothamnus conditus</i>                              | Sprawling Everlastingbush | N      | S     | GML              | vr/r       | 1962                |                     |           | le         | No       |               |
| Asteraceae                    | <i>Ozothamnus diosmifolius</i>                          | Rice Flower               | U      | S     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | DSF           |
| Asteraceae                    | <i>Ozothamnus obcordatus</i>                            | Grey Everlasting          | NW     | S     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | DSF           |
| Asteraceae                    | <i>Pseudognaphalium luteoalbum</i>                      | Jersey Cudweed            | N      | F     | GML              | r/lc       | 1961                |                     | Yes       | r/nc       | BMNR     | ?             |
| Asteraceae                    | <i>Senecio bathurstianus</i>                            | Bathurst Fireweed         | N      | F     | GML              | r/nc       | 1964                |                     | Yes       | s/lc       | BMNR     | HD, DSF       |
| Asteraceae                    | <i>Senecio diaschides</i>                               | Erect Groundsel           | N      | F     |                  |            |                     |                     | Yes       | s/nc       | BMNR     | DSF, GW       |
| Asteraceae                    | <i>Senecio gunnii</i>                                   | Mountain Fireweed         | N      | F     |                  |            |                     | 2000s               |           |            | No       |               |
| Asteraceae                    | <i>Senecio hispidulus</i>                               | Hispid Fireweed           | N      | F     |                  |            |                     |                     | Yes       | r/r        | BMNR     | CK            |
| Asteraceae                    | <i>Senecio linearifolius</i> var. <i>latifolius</i>     | Fireweed Groundsel        | N      | F     | GML              | s/lc       | 1980?               |                     |           |            | No       |               |
| Asteraceae                    | <i>Senecio phelleus</i>                                 | Rock Fireweed             | N      | F     | spec             |            | 1975                | 1998                | Yes       | w/nc       | BMNR     | DSF           |
| Asteraceae                    | <i>Senecio quadridentatus</i>                           | Cotton Fireweed           | N      | F     | GML              | w/fc       | 1968                | 2004                | Yes       | w/nc       | BMNR     | DSF           |
| Asteraceae                    | <i>Silybum marianum</i>                                 | Variegated Thistle        | E      | F     | GML              | s/lc       | 1971                |                     |           |            | No       |               |
| Asteraceae                    | <i>Solenogyne dominii</i>                               | Smooth Solenogyne         | N      | F     | GML              | w/fc       | 1964                |                     | Yes       | s/lc       | BMNR     | CK            |
| Asteraceae                    | <i>Solenogyne gunnii</i>                                | Hairy Solenogyne          | N      | F     |                  |            | 1974                | 2011                |           | vr/oc      | BMNR     | ?             |
| Asteraceae                    | <i>Soliva sessilis</i>                                  | Jo-Jo                     | E      | F     | GML              | r/lc       | 1960                |                     | Yes       | r/lc       | BMNR     | CK            |
| Asteraceae                    | <i>Sonchus asper</i>                                    | Rough Sowthistle          | E      | F     | GML              | w/lc       | 1960s               |                     | Yes       | r/nc       | BMNR     | HD            |
| Asteraceae                    | <i>Sonchus oleraceus</i>                                | Common Sowthistle         | E      | F     | GML              | s/lc       | 1975                |                     | Yes       | r/nc       | BMNR     | CK            |
| Asteraceae                    | <i>Stuartina hamata</i>                                 | Hooked Cudweed            | N      | F     | GML              | r/lc       | 1961                |                     |           |            | No       |               |
| Asteraceae                    | <i>Stuartina muelleri</i>                               | Spoon Cudweed             | N      | F     | GML              | s/lc       | 1965                |                     | Yes       | r/lc       | BMNR     | CK            |
| Asteraceae                    | <i>Taraxacum sect. Taraxacum</i>                        | Dandelion                 | E      | F     | GML              | s/lc       | 1964                |                     |           |            | No       |               |
| Asteraceae                    | <i>Tolpis barbata</i>                                   | Tolpis, Yellow Hawkweed   | E      | F     | GML              | r/nc       | 1969                | 1988                | Yes       | s/c        | BMNR     | GW            |
| Asteraceae                    | <i>Tragopogon dubius</i>                                | Goat's Beard              | E      | F     |                  |            |                     | 2001                |           | vr/oc      | No       |               |
| Asteraceae                    | <i>Tragopogon porrifolius</i> subsp. <i>porrifolius</i> | Salsify                   | E      | F     | GML              | s/nc       | 1969                |                     |           |            | No       |               |
| Asteraceae                    | <i>Triptilodiscus pygmaeus</i>                          | Common Sunray             | N      | F     | GML              | w/fc       | 1949                | 2009                | Yes       | r/lc       | BMNR     | GW            |

| Plant names, origin and habit |  |                                 |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|--|---------------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name                                    | Common Name                     | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Asteraceae                    | <i>Vittadinia cuneata</i> var. <i>cuneata</i>      | Fuzzweed                        | N      | F     | GML              | not given  | 1971                | 2011                | Yes       | r/r        | BMNR     | DSF, GW       |
| Asteraceae                    | <i>Vittadinia gracilis</i>                         | New Holland Daisy               | N      | F     | GML              | not given  | 1964                |                     | Yes       | s/lc       | BMNR     | GW            |
| Asteraceae                    | <i>Vittadinia muelleri</i>                         | Narrow-leaved New Holland Daisy | N      | F     | GML              | not given  | 1971                |                     | Yes       | s/lc       | BMNR     | GW            |
| Asteraceae                    | <i>Xanthium spinosum</i>                           | Bathurst Burr                   | E      | F     | GML              | s/nc       | 1980                |                     |           |            | No       |               |
| Asteraceae                    | <i>Xerochrysum viscosum</i>                        | Sticky Everlasting              | N      | F     | GML              | s/lc       | 1969                | 2010                | Yes       | s/lc       | BMNR     | DSF           |
| Berberidaceae                 | <i>Berberis aquifolium</i>                         | Mahonia                         | E      | SS    |                  |            |                     | 2009                | Yes       | s/r        | BMNR     | DSF           |
| Boraginaceae                  | <i>Buglossoides arvensis</i>                       | Corn Gromwell                   | E      | F     | GML              | r/nc       | 1954                |                     |           |            | No       |               |
| Boraginaceae                  | <i>Cynoglossum australe</i>                        | Australian Hound's Tongue       | N      | F     | GML              | s/nc       | 1939                |                     |           |            | No       |               |
| Boraginaceae                  | <i>Cynoglossum suaveolens</i>                      | Sweet Hound's Tongue            | N      | F     | GML              | s/nc       | 1969                |                     | Yes       | s/nc       | BMNR     | GW            |
| Boraginaceae                  | <i>Echium plantagineum</i>                         | Paterson's Curse                | E      | F     | GML              | r/nc       | 1969                | 1998                | Yes       | r/nc       | BMNR     | HD            |
| Boraginaceae                  | <i>Heliotropium europaeum</i>                      | Common Heliotrope               | E      | F     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | HD            |
| Boraginaceae                  | <i>Myosotis discolor</i>                           | Yellow and Blue Forget-me-not   | E      | F     | GML              | s/nc       | 1965                | 1990                | Yes       | s/lc       | BMNR     | GW, DSF       |
| Brassicaceae                  | <i>Brassica rapa</i>                               | Mediterranean Turnip            | E      | F     | GML              | R/r        | 1962                |                     |           |            | No       |               |
| Brassicaceae                  | <i>Capsella bursa-pastoris</i>                     | Shepherd's Purse                | E      | F     | GML              | w/lc       | 1964                |                     |           |            | No       |               |
| Brassicaceae                  | <i>Cardamine hirsuta</i>                           | Common Bittercress              | E      | F     |                  |            |                     |                     | Yes       | r/lc       | BMNR     | CK            |
| Brassicaceae                  | <i>Erophila verna</i> subsp. <i>verna</i>          | Whitlowgrass                    | E      | F     | GML              | s/lc       | 1964                |                     |           |            | No       |               |
| Brassicaceae                  | <i>Hirschfeldia incana</i>                         | Buchan Weed                     | E      | F     | GML              | s/nc       | 1964                |                     | Yes       | s/lc       | BMNR     | HD            |
| Brassicaceae                  | <i>Lepidium africanum</i>                          | Common Peppercress              | E      | F     | GML              | s/lc       | 1964                |                     | Yes       | r/nc       | BMNR     | GW            |
| Brassicaceae                  | <i>Lepidium bonariense</i>                         | Argentine Peppercress           | E      | F     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | GW            |
| Brassicaceae                  | <i>Lepidium didymum</i>                            | Peppercress                     | E      | F     | GML              | R/lc       | 1965                |                     |           |            | No       |               |
| Brassicaceae                  | <i>Sisymbrium officinale</i>                       | Hedge Mustard                   | E      | F     | GML              | R/lc       | 1980                |                     |           |            | No       |               |
| Campanulaceae                 | <i>Isotoma fluviatilis</i> subsp. <i>australis</i> | Swamp Isotome                   | N      | F     | GML              | s/lc       | 1960                |                     | Yes       | r/lc       | BMNR     | CK            |
| Campanulaceae                 | <i>Lobelia browniana</i>                           | Toothed Lobelia                 | N      | F     | Spec             |            | 1974                | 1996                | Yes       | r/r        | BMNR     | CK            |
| Campanulaceae                 | <i>Lobelia pedunculata</i>                         | Matted Pratia                   | N      | F     | Spec             |            | 1950                |                     |           |            | No       |               |
| Campanulaceae                 | <i>Wahlenbergia communis</i>                       | Native Bluebell                 | N      | F     | GML              | not given  | 1960                |                     | Yes       | vr/r       | BMNR     | GW            |
| Campanulaceae                 | <i>Wahlenbergia gracilentia</i>                    | Annual Bluebell                 | N      | F     | GML              | not given  | 1961                |                     |           |            | No       |               |

| Plant names, origin and habit |   |                                    |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|---|------------------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name   | Common Name                        | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Campanulaceae                 | <i>Wahlenbergia gracilis</i>                              | Australian Bluebell                | N      | F     |                  |            |                     | 1992                | Yes       | r/nc       | BMNR     | DSF           |
| Campanulaceae                 | <i>Wahlenbergia graniticola</i>                           | Granite Bluebell                   | N      | F     | GML              | not given  | 1978                | 1980                | Yes       | vr/oc      | BGS      | DSF           |
| Campanulaceae                 | <i>Wahlenbergia littoricola</i> subsp. <i>littoricola</i> | A native bluebell                  | N      | F     |                  |            | 1975                |                     |           |            | No       |               |
| Campanulaceae                 | <i>Wahlenbergia luteola</i>                               | Yellowish Bluebell                 | N      | F     |                  |            |                     |                     | Yes       | r/nc       | BMNR     | DSF           |
| Campanulaceae                 | <i>Wahlenbergia multicaulis</i>                           | Tadgell's Bluebell                 | N      | F     | spec             |            | 1970                | 1991                | Yes       | s/nc       | BMNR     | GW            |
| Campanulaceae                 | <i>Wahlenbergia stricta</i> subsp. <i>stricta</i>         | Tall Bluebell                      | N      | F     | GML              | not given  | 1973                | 1986                | Yes       | s/nc       | BMNR     | GW            |
| Cannabaceae                   | <i>Celtis australis</i>                                   | Lote Tree, Nettle Tree             | E      | T     | GML              | vr/r       | 1964                |                     | Yes       | s/r        | BMNR     | DSF           |
| Caprifoliaceae                | <i>Centranthus ruber</i> subsp. <i>ruber</i>              | Red Valerian                       | E      | F     |                  |            |                     | 1993                | Yes       | vr/oc      | BMNR     | HD            |
| Caprifoliaceae                | <i>Lonicera japonica</i>                                  | Japanese Honeysuckle               | E      | C     | GML              | vr/lc      | 1961                | 2009                | Yes       | s/lc       | BMNR     | CK, DSF       |
| Caryophyllaceae               | <i>Cerastium balearicum</i>                               | Balaeric Mouse-eared Chickweed     | E      | F     | GML              | vr/lc      | 1964                |                     |           |            | No       |               |
| Caryophyllaceae               | <i>Cerastium glomeratum</i>                               | Mouse-eared Chickweed              | E      | F     | GML              | s/lc       | 1964                |                     | Yes       | s/lc       | BMNR     | DSF           |
| Caryophyllaceae               | <i>Moenchia erecta</i>                                    | Erect Chickweed                    | E      | F     | GML              | s/lc       | 1966                | 1995                | Yes       | r/r        | BMNR     | GW            |
| Caryophyllaceae               | <i>Paronychia brasiliiana</i>                             | Brazilian Whitlow, Chilean Whitlow | E      | F     | GML              | s/lc       | 1964                |                     | Yes       | s/nc       | BMNR     | HD            |
| Caryophyllaceae               | <i>Petrorhagia dubia</i>                                  | Velvet Pink                        | E      | F     | GML              | r/nc       | 1935                |                     |           |            | No       |               |
| Caryophyllaceae               | <i>Petrorhagia nanteuilii</i>                             | Proliferous Pink                   | E      | F     | GML              | s/lc       | 1969                |                     | Yes       | s/nc       | BMNR     | DSF           |
| Caryophyllaceae               | <i>Polycarpon tetraphyllum</i>                            | Four-leaved Allseed                | E      | F     | GML              | r/lc       | 1962                |                     | Yes       | r/nc       | BMNR     | HD            |
| Caryophyllaceae               | <i>Sagina apetala</i>                                     | Annual Pearlwort                   | E      | F     | GML              | r/nc       | 1962                |                     | Yes       | r/nc       | BMNR     | HD            |
| Caryophyllaceae               | <i>Silene gallica</i> var. <i>gallica</i>                 | French Catchfly                    | E      | F     | GML              | R/lc       | 1965                |                     | Yes       | r/lc       | BMNR     | GW            |
| Caryophyllaceae               | <i>Silene gallica</i> var. <i>quinquevulnera</i>          | Five-wounded Catchfly              | E      | F     | GML              | r/lc       | 1935                |                     | Yes       | r/lc       | BMNR     | GW            |
| Caryophyllaceae               | <i>Spergula arvensis</i>                                  | Corn Spurrey                       | E      | F     | GML              | R/r        | 1958?               |                     |           |            | No       |               |
| Caryophyllaceae               | <i>Spergularia rubra</i>                                  | Sand Spurrey                       | E      | F     | GML              | s/lc       | 1968                | 1984                | Yes       | r/nc       | BMNR     | HD            |
| Caryophyllaceae               | <i>Stellaria media</i>                                    | Chickweed                          | E      | F     | GML              | s/lc       | 1960s               | 1986                | Yes       | s/lc       | BMNR     | DSF           |
| Caryophyllaceae               | <i>Stellaria multiflora</i> subsp. <i>collaris</i>        | A starwort                         | N      | F     | GML              | r/r        | 1964                |                     |           |            | No       |               |
| Caryophyllaceae               | <i>Stellaria multiflora</i> subsp. <i>nebulosa</i>        | Rayless Starwort                   | N      | F     | GML              | s/r        | 1964                |                     |           |            | No       |               |
| Caryophyllaceae               | <i>Stellaria pallida</i>                                  | Lesser Chickweed                   | E      | F     |                  |            |                     | 1981                | Yes       | r/lc       | BMNR     | DSF           |
| Caryophyllaceae               | <i>Stellaria pungens</i>                                  | Prickly Starwort                   | N      | F     | GML              | s/lc       | 1969                |                     | Yes       | s/lc       | BMNR     | DSF           |

| Plant names, origin and habit |  |   |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|--|---|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name  | Common Name                               | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Casuarinaceae                 | <i>Allocasuarina verticillata</i>                            | Drooping Sheoak                           | N      | T     | GML              | vr/r       | 1961                | 2009                |           | r/r        | BMNR     | DSF           |
| Casuarinaceae                 | <i>Casuarina cunninghamiana</i>                              | River Oak                                 | NW     | T     |                  |            |                     |                     | Yes       | vr/r       | BMNR     | DSF           |
| Celastraceae                  | <i>Stackhousia monogyna</i>                                  | Creamy Candles                            | N      | F     | GML              | s/nc       | 1975                |                     | Yes       | s/nc       | BMNR     | DSF           |
| Chenopodiaceae                | <i>Dysphania multifida</i>                                   | Scented Goosefoot                         | E      | F     | GML              | s/lc       | 1960s               |                     |           |            | No       |               |
| Chenopodiaceae                | <i>Dysphania pumilio</i>                                     | Small Crumbweed                           | N      | F     | GML              | s/lc       | 1980                |                     | Yes       | s/nc       | BMNR     | HD            |
| Chenopodiaceae                | <i>Einadia hastata</i>                                       | Saloop                                    | N      | SS    |                  |            |                     | 2009                | Yes       | s/lc       | BMNR     | DSF           |
| Chenopodiaceae                | <i>Einadia nutans</i> subsp. <i>nutans</i>                   | Climbing Saltbush                         | N      | SS    | GML              | s/lc       | 1976                |                     | Yes       | s/lc       | BMNR     | DSF           |
| Cistaceae                     | <i>Cistus salviifolius</i>                                   | Rock Rose                                 | E      | S     |                  |            |                     | 1999                |           | le         | No       | -             |
| Convolvulaceae                | <i>Convolvulus angustissimus</i> subsp. <i>angustissimus</i> | Australian Bindweed, Pink Bindweed        | N      | F     | GML              | s/lc       | 1969                |                     | Yes       | s/nc       | BMNR     | GW            |
| Convolvulaceae                | <i>Dichondra repens</i>                                      | Kidney Weed                               | N      | F     | GML              | w/fc       | 1964                |                     | Yes       | s/lc       | BMNR     | DSF           |
| Crassulaceae                  | <i>Crassula colligata</i> subsp. <i>colligata</i>            |   | N      | F     |                  |            | 1978                |                     |           |            | No       |               |
| Crassulaceae                  | <i>Crassula decumbens</i> var. <i>decumbens</i>              | Spreading Crassula, Rufous Stonecrop      | N      | F     | GML              | r/lc       | 1964                |                     |           |            | No       |               |
| Crassulaceae                  | <i>Crassula peduncularis</i>                                 | Stalked Stonecrop                         | N      | F     | GML              | vr/r       | 1964                | 1987                | Yes       | vr/lc      | BMNR     | CK            |
| Crassulaceae                  | <i>Crassula sieberiana</i>                                   | Australian Crassula, Australian Stonecrop | N      | F     | GML              | w/c        | 1975                |                     | Yes       | w/nc       | BMNR     | DSF, GW       |
| Crassulaceae                  | <i>Sedum praealtum</i> subsp. <i>praealtum</i>               | Stonecrop                                 | E      | S     | GML              | R/nc       | 1962                |                     |           |            | No       |               |
| Cucurbitaceae                 | <i>Citrullus amarus</i>                                      | Wild Melon, Bitter Melon                  | E      | F     | spec             |            | 1962                |                     |           | le         | No       |               |
| Dilleniaceae                  | <i>Hibbertia calycina</i>                                    | Lesser Guineaflower                       | N      | SS    | GML              | s/lc       | 1975                | 2011                | Yes       | s/lc       | BMNR     | DSF           |
| Dilleniaceae                  | <i>Hibbertia obtusifolia</i>                                 | Hoary Guineaflower                        | N      | SS    | GML              | w/fc       | 1975                | 1990                | Yes       | w/fc       | BMNR     | DSF           |
| Droseraceae                   | <i>Drosera auriculata</i>                                    | Tall Sundew                               | N      | F     | GML              | s/fc       | 1978                | 2010                | Yes       | s/lc       | BMNR     | DSF           |
| Droseraceae                   | <i>Drosera peltata</i>                                       | Pale Sundew                               | N      | F     | GML              | s/lc       | 1963                | 1995                | Yes       | s/lc       | BMNR     | GW, DSF       |
| Elatinaceae                   | <i>Elatine gratioloides</i>                                  | Waterwort                                 | N      | F     | GML              | s/nc       | 1960s               |                     | Yes       | r/lc       | BMNR     | D, CK         |
| Ericaceae                     | <i>Acrotriche serrulata</i>                                  | Groundberry                               | N      | SS    |                  |            |                     | 2009                | Yes       | s/r        | BMNR     | GW            |
| Ericaceae                     | <i>Arbutus unedo</i>   | Strawberry Tree                           | E      | S     |                  |            |                     | 2009                |           | r/r        | BMNR     | DSF           |
| Ericaceae                     | <i>Astroloma humifusum</i>                                   | Native Cranberry                          | N      | SS    | GML              | s/nc       | 1964                | 2009                | Yes       | s/r        | BMNR     | DSF, GW       |
| Ericaceae                     | <i>Brachyloma daphnoides</i>                                 | Daphne Heath                              | N      | SS    | GML              | s/fc       | 1975                | 1998                | Yes       | w/fc       | BMNR     | DSF           |
| Ericaceae                     | <i>Leucopogon attenuatus</i>                                 | Grey Beardheath                           | N      | SS    | GML              | s/fc       | 1978                | 2009                | Yes       | s/lc       | BMNR     | DSF           |



| Plant names, origin and habit |  |                            |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|--|----------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name  | Common Name                | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Ericaceae                     | <i>Leucopogon fletcheri</i> subsp. <i>brevisepalus</i> | Twin-flowered Beardheath   | N      | S     | GML              | r/lc       | 1976                | 1986                | Yes       | s/nc       | BMNR     | DSF           |
| Ericaceae                     | <i>Leucopogon microphyllus</i> var. <i>pilibundus</i>  | Hairy Beardheath           | N      | SS    | GML              | s/lc       | 1975                | Yes                 | Yes       | r/lc       | BMNR     | DSF           |
| Ericaceae                     | <i>Leucopogon virgatus</i> var. <i>virgatus</i>        | Common Beardheath          | N      | S     | GML              | s/nc       | 1975                | 1986                | Yes       | s/lc       | BMNR     | DSF           |
| Ericaceae                     | <i>Lissanthe strigosa</i> subsp. <i>subulata</i>       | Peach Heath                | N      | S     | spec             |            | 1949                |                     |           |            | No       |               |
| Ericaceae                     | <i>Melichrus urceolatus</i>                            | Urn Heath                  | N      | SS    | GML              | s/fc       | 1975                | 1986                | Yes       | s/fc       | BMNR     | DSF, GW       |
| Ericaceae                     | <i>Monotoca scoparia</i>                               | Prickly Broom Heath        | N      | S     | GML              | s/fc       | 1975                | 2009                | Yes       | s/fc       | BMNR     | DSF           |
| Ericaceae                     | <i>Styphelia triflora</i>                              | Fivecorners                | N      | S     |                  |            | 1973                |                     |           | ?          | No       |               |
| Euphorbiaceae                 | <i>Euphorbia dallachyana</i>                           | A spurge                   | N      | F     | GML              | s/lc       | 1970                |                     | Yes       | s/nc       | BMNR     | HD            |
| Euphorbiaceae                 | <i>Euphorbia peplus</i>                                | Petty Spurge               | E      | F     |                  |            |                     |                     | Yes       | r/nc       | BMNR     | HD            |
| Fabaceae                      | <i>Acacia baileyana</i>                                | Cootamundra Wattle         | NW     | T     | GML              | s/lc       | 1976                | 1998                | Yes       | s/lc       | BMNR     | DSF, HD       |
| Fabaceae                      | <i>Acacia binervata</i>                                | Two-veined Hickory         | NW     | T     |                  |            |                     |                     | Yes       | r/r        | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia boormanii</i>                                | Snowy River Wattle         | NW     | S     |                  |            |                     | 2009                | Yes       | r/r        | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia buxifolia</i> subsp. <i>buxifolia</i>        | Box-leaved Wattle          | N      | S     | GML              | w/lc       | 1976                | 2010                | Yes       | w/lc       | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia cardiophylla</i>                             | Wyalong Wattle             | NW     | S     |                  |            |                     | 2009                |           | r/r        | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia cultriformis</i>                             | Knife-leaved Wattle        | NW-NL  | S     |                  |            | 1975                | 2009                | Yes       | s/lc       | BMNR     | DSF, HD       |
| Fabaceae                      | <i>Acacia dawsonii</i>                                 | Poverty Wattle             | NL-NW  | S     |                  |            |                     |                     | Yes       | s/lc       | BMNR     | HD            |
| Fabaceae                      | <i>Acacia dealbata</i> subsp. <i>dealbata</i>          | Silver Wattle              | N      | S     | GML              | w/fc       | 1976                | 1998                | Yes       | s/lc       | BMNR     | DSF, GW       |
| Fabaceae                      | <i>Acacia decurrens</i>                                | Green Wattle, Black Wattle | NW     | S     | GML              | s/lc       | 1976                | 1998                | Yes       | s/lc       | BMNR     | HD, GW, DSF   |
| Fabaceae                      | <i>Acacia elata</i>                                    | Mountain Cedar Wattle      | NW     | T     |                  |            |                     | 2009                | Yes       | vr/oc      | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia elongata</i>                                 | Broad-leaved Hickory       | NW     | T     |                  |            |                     | 2009                | Yes       | r/r        | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia extensa</i>                                  | Wiry Wattle                | NW     | S     |                  |            |                     |                     | Yes       | vr/lc      | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia falcata</i>                                  | Hickory Wattle             | NW     | S     |                  |            |                     |                     | Yes       | vr/oc      | BGN      | DSF           |
| Fabaceae                      | <i>Acacia fimbriata</i>                                | Swamp Wattle               | NW     | S     |                  |            |                     | 2009                | Yes       | r/r        | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia flexifolia</i>                               | Bent-leaved Wattle         | NW     | S     |                  |            |                     |                     | Yes       | vr/r       | BGN      | DSF           |

| Plant names, origin and habit |   |                                       |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|---|---------------------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name                                   | Common Name                           | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Fabaceae                      | <i>Acacia genistifolia</i>                        | Early Wattle                          | N      | S     | GML              | w/c        | 1976                | 2011                | Yes       | w/c        | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia gunnii</i>                              | Ploughshare Wattle, Dogstooth Wattle  | N      | S     | GML              | s/lc       | 1976                | 2008                | Yes       | s/nc       | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia howittii</i>                            | Howitt's Wattle                       | NW     | T     |                  |            |                     | 2009                | Yes       | r/r        | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia implexa</i>                             | Hickory Wattle                        | N      | T     | GML              | s/fc       | 1970                | 1999                | Yes       | s/nc       | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia lanigera</i> var. <i>lanigera</i>       | Hairy Wattle                          | N      | S     | GML              | r/nc       | 1975                | 1998                | Yes       | r/nc       | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia leucoclada</i> / <i>parvipinnula</i>    |                                       | NW     | T     |                  |            |                     |                     | Yes       | vr/oc      | BGN      | HD            |
| Fabaceae                      | <i>Acacia linearifolia</i>                        | Narrow-leaved Wattle                  | NW     | T     |                  |            |                     | 2012                | Yes       | r/r        | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia longifolia</i> subsp. <i>longifolia</i> | Sydney Golden Wattle                  | NW     | S     | spec             |            | 1964                | 2009                | Yes       | r/r        | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia lunata</i>                              | Lunate-leaved Wattle                  | NW     | S     |                  |            |                     |                     | Yes       | vr/r       | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia mearnsii</i>                            | Black Wattle, Green Wattle            | N      | T     | GML              | w/lc       | 1976                | 1998                | Yes       | w/lc       | BMNR     | DSF, GW       |
| Fabaceae                      | <i>Acacia melanoxylon</i>                         | Blackwood                             | NW     | T     |                  |            | 1976                |                     | Yes       | r/r        | BMNR     | DSF, HD       |
| Fabaceae                      | <i>Acacia parramattensis</i>                      | Parramatta Green Wattle               | N      | T     | GML              | s/fc       | 1976                | 2002                | Yes       | s/lc       | BMNR     | DSF, GW       |
| Fabaceae                      | <i>Acacia penninervis</i> var. <i>penninervis</i> | Mountain Hickory                      | N      | S     | GML              | vr/nc      | 1976                | 2000                | Yes       | s/lc       | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia pravissima</i>                          | Oven's Wattle, Wedge-leaved Wattle    | N      | S     | spec             |            | 1957                |                     | Yes       | r/r        | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia pycnantha</i>                           | Golden Wattle                         | NW     | S     |                  |            |                     |                     | Yes       | vr/oc      | BGS      | DSF           |
| Fabaceae                      | <i>Acacia rubida</i>                              | Red-leaved Wattle, Red-stemmed Wattle | NW     | S     | GML              | vr/r       | 1979                | 2009                | Yes       | s/lc       | BMNR     | DSF, GW       |
| Fabaceae                      | <i>Acacia saligna</i>                             | Blue-leaved Wattle                    | NW     | S     |                  |            |                     |                     | Yes       | r/r        | BMNR     | HD            |
| Fabaceae                      | <i>Acacia sertiformis</i>                         |                                       | NW     | S     |                  |            |                     |                     | Yes       | vr/oc      | BGN      | HD            |
| Fabaceae                      | <i>Acacia stricta</i>                             | Hop Wattle                            | NW     | S     |                  |            |                     |                     | Yes       | vr/r       | BGN      | DSF           |
| Fabaceae                      | <i>Acacia subulata</i>                            | Awl-leaved wattle                     | NL-NW  | S     |                  |            |                     |                     | Yes       | r/r        | BMNR     | HD            |
| Fabaceae                      | <i>Acacia ulicifolia</i>                          | Juniper Wattle                        | N      | S     |                  |            |                     | 2009                | Yes       | s/r        | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia vestita</i>                             | Weeping Boree                         | NW     | S     |                  |            |                     |                     | Yes       | r/r        | BMNR     | DSF           |
| Fabaceae                      | <i>Acacia viscidula</i>                           | Sticky Wattle                         | NW     | S     |                  |            |                     |                     | Yes       | vr/lc      | BGN      | DSF           |
| Fabaceae                      | <i>Albizia julibrissin</i>                        |                                       | E      | S     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | HD            |
| Fabaceae                      | <i>Bossiaea buxifolia</i>                         | Matted Bossiaea                       | N      | SS    | GML              | w/fc       | 1975                |                     | Yes       | s/nc       | BMNR     | DSF           |
| Fabaceae                      | <i>Bossiaea prostrata</i>                         | Creeping Bossiaea                     | N      | SS    | GML              | r/nc       | 1965                |                     | Yes       | r/r        | BMNR     | DSF           |

| Plant names, origin and habit |   |  |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|---|--|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name                                     | Common Name                                | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Fabaceae                      | <i>Cercis siliquastrum</i> f. <i>albida</i>         | Judas Tree                                 | E      | S     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | HD            |
| Fabaceae                      | <i>Chamaecytisus palmensis</i>                      | Tree Lucerne                               | E      | S     | GML              | vr/lc      | 1963                | 1998                |           | ?          | No       |               |
| Fabaceae                      | <i>Cytisus scoparius</i>                            | Broom                                      | E      | S     |                  |            |                     | 2010                |           | vr/oc      | BMNR     | CK            |
| Fabaceae                      | <i>Daviesia acicularis</i>                          | Sandplain Bitterpea                        | U      | S     | GML              | vr/r       | 1979                |                     | Yes       | vr/oc      | BMNR     | DSF, HD       |
| Fabaceae                      | <i>Daviesia mimosoides</i> subsp. <i>mimosoides</i> | Narrow-leaved Bitterpea                    | N      | S     | GML              | w/c        | 1976                | 2011                | Yes       | w/c        | BMNR     | DSF           |
| Fabaceae                      | <i>Daviesia ulicifolia</i> subsp. <i>ruscifolia</i> | Gorse Bitterpea                            | N      | S     | GML              | s/lc       | 1960                |                     | Yes       | s/lc       | BMNR     | DSF           |
| Fabaceae                      | <i>Desmodium brachypodium</i>                       | Large Tick Trefoil                         | N      | F     |                  |            | 1971                |                     |           | ?          | No       |               |
| Fabaceae                      | <i>Desmodium varians</i>                            | Southern Tick Trefoil, Slender Ticktrefoil | N      | F     | GML              | s/nc       | 1962                |                     | Yes       | s/nc       | BMNR     | GW, DSF       |
| Fabaceae                      | <i>Dillwynia phlycoides</i>                         | Small-leaved Parrotpea                     | N      | S     | GML              | w/c        | 1975                | 2011                | Yes       | w/c        | BMNR     | DSF           |
| Fabaceae                      | <i>Dillwynia sericea</i>                            | Showy Parrotpea                            | N      | S     | GML              | s/fc       | 1978                |                     | Yes       | s/lc       | BMNR     | GW            |
| Fabaceae                      | <i>Genista monspessulana</i>                        | Montpellier Broom                          | E      | S     | GML              | vr/r       | 1962                |                     |           | le?        | No       |               |
| Fabaceae                      | <i>Gleditsia triacanthos</i>                        |  | E      | S     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | HD            |
| Fabaceae                      | <i>Glycine clandestina</i>                          | Twining Glycine                            | N      | F     | GML              | s/lc       | 1969                | 1990                | Yes       | s/nc       | BMNR     | GW, DSF       |
| Fabaceae                      | <i>Glycine tabacina</i>                             | Glycine Pea                                | N      | F     | GML              | s/lc       | 1971                |                     | Yes       | s/nc       | BMNR     | GW            |
| Fabaceae                      | <i>Gompholobium huegelii</i>                        | Pale Wedgepea                              | N      | SS    | GML              | s/lc       | 1978                |                     | Yes       | r/nc       | BMNR     | DSF           |
| Fabaceae                      | <i>Hardenbergia violacea</i>                        | False Sarsaparilla                         | N      | C     | GML              | s/lc       | 1975                | 1990                | Yes       | s/lc       | BMNR     | DSF           |
| Fabaceae                      | <i>Hovea asperifolia</i> subsp. <i>asperifolia</i>  | Hovea                                      | NW     | SS    |                  |            |                     | 2009                | Yes       | vr/oc      | BMNR     | DSF           |
| Fabaceae                      | <i>Hovea heterophylla</i>                           | Creeping Hovea                             | N      | SS    | GML              | s/nc       | 1975                | 2009                | Yes       | s/nc       | BMNR     | DSF           |
| Fabaceae                      | <i>Indigofera australis</i> subsp. <i>australis</i> | Australian Indigo                          | N      | S     | GML              | s/nc       | 1975                |                     | Yes       | s/nc       | BMNR     | DSF           |
| Fabaceae                      | <i>Lotus australis</i> var. <i>australis</i>        | Australian Trefoil                         | N      | F     | spec             |            | 1969                |                     |           |            | No       |               |
| Fabaceae                      | <i>Medicago arabica</i>                             | Spotted Medic                              | E      | F     | GML              | r/nc       | 1952                |                     |           |            | No       |               |
| Fabaceae                      | <i>Medicago lupulina</i>                            | Black Medic                                | E      | F     | GML              | r/lc       | 1975                |                     |           |            | No       |               |
| Fabaceae                      | <i>Medicago minima</i>                              | Woolly-burred Medic                        | E      | F     | GML              | r/nc       | 1960s               |                     |           |            | No       |               |
| Fabaceae                      | <i>Medicago polymorpha</i>                          | Burred Medic                               | E      | F     | GML              | s/fc       | 1980                |                     |           |            | No       |               |
| Fabaceae                      | <i>Medicago sativa</i>                              | Lucerne                                    | E      | F     |                  |            | 1969                | 1981                |           |            | No       |               |
| Fabaceae                      | <i>Medicago truncatula</i>                          | Barrel medic                               | E      | F     | spec             |            | 1964                |                     |           |            | No       |               |

| Plant names, origin and habit |  |                                   |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|--|-----------------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name  | Common Name                       | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Fabaceae                      | <i>Melilotus albus</i>                                   | Bokhara Clover                    | E      | F     | GML              | r/r        | 1960s               |                     | Yes       | r/lc       | BMNR     | HD            |
| Fabaceae                      | <i>Mirbelia oxylobioides</i>                             | Mountain Mirbelia                 | N      | S     | GML              | w/c        | 1969                | 2011                | Yes       | s/nc       | BMNR     | DSF           |
| Fabaceae                      | <i>Pultenaea procumbens</i>                              | Hairy Bushpea                     | N      | SS    | GML              | w/c        | 1975                | 2011                | Yes       | w/c        | BMNR     | DSF           |
| Fabaceae                      | <i>Robinia pseudoacacia</i>                              | Black Locust                      | E      | S     | GML              | r/nc       | 1980                |                     |           | le         | No       |               |
| Fabaceae                      | <i>Securigera varia</i>                                  | Crown Vetch                       | E      | F     | GML              | r/lc       | 1967                | 2012                | Yes       | r/lc       | BMNR     | HD            |
| Fabaceae                      | <i>Senna aciphylla</i>                                   | Australian Senna                  | NW     | S     |                  |            |                     |                     | Yes       | vr/r       | BMNR     | HD            |
| Fabaceae                      | <i>Swainsona galegifolia</i>                             | Smooth Darling Pea                | NL-NW  | F     |                  |            |                     | 2011                | Yes       | r/r        | BMNR     | HD            |
| Fabaceae                      | <i>Swainsona monticola</i>                               | Notched Swainson-pea              | N      | F     | spec             |            | 1953                |                     |           |            | No       |               |
| Fabaceae                      | <i>Swainsona recta</i>                                   | Small Purple Pea                  | N      | F     | GML              | r/r        | 1939                |                     |           |            | No       |               |
| Fabaceae                      | <i>Trifolium angustifolium</i> var. <i>angustifolium</i> | Narrow-leaved Clover              | E      | F     |                  |            |                     |                     | Yes       | r/nc       | BMNR     | GW            |
| Fabaceae                      | <i>Trifolium arvense</i> var. <i>arvense</i>             | Hare's Foot Clover                | E      | F     | GML              | w/vc       | 1969                |                     | Yes       | r/lc       | BMNR     | GW            |
| Fabaceae                      | <i>Trifolium campestre</i> var. <i>campestre</i>         | Hop Clover                        | E      | F     | GML              | w/c        | 1966                |                     | Yes       | r/lc       | BMNR     | GW            |
| Fabaceae                      | <i>Trifolium dubium</i>                                  | Suckling Clover                   | E      | F     | GML              | w/fc       | 1964                |                     | Yes       | s/nc       | BMNR     | GW            |
| Fabaceae                      | <i>Trifolium glomeratum</i>                              | Clustered Clover                  | E      | F     | GML              | s/fc       | 1966                | 1989                | Yes       | s/nc       | BMNR     | GW            |
| Fabaceae                      | <i>Trifolium incarnatum</i> var. <i>incarnatum</i>       | Crimson Clover                    | E      | F     |                  |            | 1976                | 1988                |           |            | No       |               |
| Fabaceae                      | <i>Trifolium repens</i> var. <i>repens</i>               | White Clover                      | E      | F     | GML              | w/fc       | 1966                |                     | Yes       | r/nc       | BMNR     | GW            |
| Fabaceae                      | <i>Trifolium subterraneum</i>                            | Subterranean Clover               | E      | F     | GML              | s/lc       | 1964                | 1989                | Yes       | r/nc       | BMNR     | GW            |
| Fabaceae                      | <i>Vicia disperma</i>                                    | French Tiny Vetch                 | E      | F     | GML              | vr/lc      | 1959                |                     |           |            | No       |               |
| Fabaceae                      | <i>Vicia hirsuta</i>                                     | Hairy Vetch                       | E      | F     | GML              | vr/nc      | 1962                | 1998                | Yes       | r/lc       | BMNR     | HD            |
| Fabaceae                      | <i>Vicia sativa</i> subsp. <i>nigra</i>                  | Common Vetch                      | E      | F     | GML              | vr/lc      | 1964                | 1998                | Yes       | r/nc       | BMNR     | HD            |
| Fabaceae                      | <i>Zornia dyctiocarpa</i> var. <i>dyctiocarpa</i>        | Zornia                            | N      | F     | spec             |            | 1971                | 2012                | Yes       | r/nc       | BMNR     | GW            |
| Fagaceae                      | <i>Quercus</i> sp.                                       | An Oak                            | E      | T     |                  |            |                     | 2009                | Yes       | r/r        | BGS      | DSF           |
| Gentianaceae                  | <i>Centaurium erythraea</i>                              | Common Centaury                   | E      | F     | GML              | w/lc       | 1969                | 1989                | Yes       | w/lc       | BMNR     | CK            |
| Gentianaceae                  | <i>Centaurium tenuiflorum</i>                            | Branched Centaury                 | E      | F     |                  |            |                     | 1989                |           |            | No       |               |
| Gentianaceae                  | <i>Cicendia quadrangularis</i>                           | Square Cicenda                    | E      | F     | GML              | r/lc       | 1964                |                     | Yes       | r/lc       | BMNR     | GW            |
| Gentianaceae                  | <i>Sebaea ovata</i>                                      | Yellow Sebaea                     | N      | F     | GML              | r/lc       | 1952                |                     | Yes       | r/lc       | BMNR     | GW            |
| Geraneaceae                   | <i>Erodium botrys</i>                                    | Long Storksbill                   | E      | F     | GML              | R/lc       | 1960s               |                     |           |            | No       |               |
| Geraniaceae                   | <i>Erodium cicutarium</i>                                | Common Storksbill                 | E      | F     | GML              | w/lc       | 1980?               |                     |           |            | No       |               |
| Geraniaceae                   | <i>Erodium crinitum</i>                                  | Blue Storksbill, Native Crowsfoot | N      | F     | GML              | s/lc       | 1969                |                     | Yes       | r/nc       | BMNR     | HD            |

| Plant names, origin and habit |   |                                     |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|---|-------------------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name                                     | Common Name                         | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Geraniaceae                   | <i>Geranium retrorsum</i>                           | Grassland Cranesbill                | N      | F     |                  |            |                     | 1987                | Yes       | r/lc       | BMNR     | GW            |
| Geraniaceae                   | <i>Geranium solanderi</i> var. <i>solanderi</i>     | Native Geranium                     | N      | F     | GML              | w/c        | 1969                | 1987                | Yes       | s/c        | BMNR     | GW, DSF       |
| Goodeniaceae                  | <i>Goodenia hederacea</i> subsp. <i>hederacea</i>   | Ivy Goodenia                        | N      | F     | GML              | s/c        | 1975                | 1995                | Yes       | w/c        | BMNR     | DSF           |
| Goodeniaceae                  | <i>Goodenia ovata</i>                               |                                     | NW     | S     |                  |            | 1969                |                     |           |            | No       |               |
| Goodeniaceae                  | <i>Goodenia pinnatifida</i>                         | Cut-leaved Goodenia, Scrambled Eggs | N      | F     | GML              | r/lc       | 1975                |                     | Yes       | r/nc       | BMNR     | GW            |
| Goodeniaceae                  | <i>Velleia paradoxa</i>                             | Spurred Velleia                     | N      | F     | GML              | r/lc       | 1949                |                     | Yes       | r/r        | BMNR     | GW            |
| Haloragaceae                  | <i>Gonocarpus tetragynus</i>                        | Common Raspwort                     | N      | F     | GML              | r/lc       | 1969                | 2013                | Yes       | w/lc       | BMNR     | DSF           |
| Haloragaceae                  | <i>Haloragis heterophylla</i>                       | Variable Raspwort                   | N      | F     | GML              | s/lc       | 1960s               |                     | Yes       | s/lc       | BMNR     | GW            |
| Haloragaceae                  | <i>Myriophyllum crispatum</i>                       | Upright Water Milfoil               | N      | A     | GML              | r/lc       | 1964                |                     |           |            | No       |               |
| Hypericaceae                  | <i>Hypericum gramineum</i>                          | Small St John's Wort                | N      | F     | GML              | s/lc       | 1970                |                     | Yes       | s/nc       | BMNR     | CK, GW        |
| Hypericaceae                  | <i>Hypericum perforatum</i> subsp. <i>veronense</i> | St John's Wort                      | E      | F     | GML              | s/lc       | 1962                | 1989                | Yes       | s/lc       | BMNR     | HD            |
| Lamiaceae                     | <i>Ajuga australis</i>                              | Austral Bugle; Australian Bugloss   | N      | F     | GML              | r/lc       | 1969                |                     | Yes       | vr/oc      | BMNR     | DSF           |
| Lamiaceae                     | <i>Marrubium vulgare</i>                            | Horehound                           | E      | F     | GML              | r/lc       | 1960s               |                     | Yes       | r/nc       | BMNR     | HD            |
| Lamiaceae                     | <i>Mentha diemenica</i>                             | Slender Mint                        | N      | F     | GML              | r/lc       | 1962                |                     | Yes       | vr/r       | BMNR     | CK            |
| Lamiaceae                     | <i>Mentha x piperita</i> var. <i>citrata</i>        | Peppermint                          | E      | F     |                  |            |                     |                     | Yes       | vr/r       | BMNR     | CK            |
| Lamiaceae                     | <i>Origanum vulgare</i>                             | Oregano                             | E      | F     |                  |            |                     | 2009                | Yes       | vr/r       | BMNR     | HD            |
| Lamiaceae                     | <i>Prunella vulgaris</i>                            | Selfheal                            | E      | F     | spec             |            | 1964                |                     |           |            | No       |               |
| Lamiaceae                     | <i>Salvia verbenaca</i> var. <i>verbenacea</i>      | Wild Sage                           | E      | F     | GML              | s/lc       | 1969                |                     | Yes       | s/nc       | BMNR     | GW            |
| Lamiaceae                     | <i>Scutellaria humilis</i>                          | Australian Skullcap                 | N      | F     | GML              | s/r        | 1949                |                     | Yes       | s/nc       | BMNR     | DSF           |
| Lauraceae                     | <i>Cassytha pubescens</i>                           | Downy Dodder Laurel, Devil's Twine  | N      | C     | GML              | w/fc       | 1975                |                     | Yes       | w/nc       | BMNR     | DSF, HD       |
| Lentibulariaceae              | <i>Utricularia dichotoma</i>                        | Fairies' Aprons                     | N      | F     | GML              | s/lc       | 1952                | 1998                | Yes       | vr/r       | BMNR     | CK            |
| Linaceae                      | <i>Linum marginale</i>                              | Wild Flax                           | N      | SS    |                  |            | 1975                |                     | Yes       | r/r        | BMNR     | GW            |
| Loranthaceae                  | <i>Amyema miquelii</i>                              | Box Mistletoe                       | N      | M     | GML              | s/lc       | 1960                | 2009                | Yes       | s/lc       | BMNR     | DSF           |
| Loranthaceae                  | <i>Amyema pendula</i> subsp. <i>pendula</i>         | Drooping Mistletoe                  | N      | M     | GML              | w/c        | 1969                | 2009                | Yes       | s/lc       | BMNR     | DSF           |
| Loranthaceae                  | <i>Muellerina eucalyptoides</i>                     | Creeping Mistletoe                  | N      | M     |                  |            |                     | 2009                | Yes       | s/r        | BMNR     | DSF           |
| Lythraceae                    | <i>Lythrum hyssopifolia</i>                         | Hyssop Loosestrife                  | N      | SS    | GML              | s/lc       | 1964                |                     | Yes       | s/lc       | BMNR     | CK            |

| Plant names, origin and habit |   |                            |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|---|----------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name   | Common Name                | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Malvaceae                     | <i>Brachychiton populneus</i> subsp. <i>populneus</i>     | Kurrajong                  | NW     | T     |                  |            |                     | 2009                | Yes       | s/r        | BMNR     | DSF           |
| Malvaceae                     | <i>Gynatrix pulchella</i>                                 | Hempbush                   | N      | S     | GML              | r/nc       | 1972                | 2009                | Yes       | r/nc       | BMNR     | DSF           |
| Malvaceae                     | <i>Lasiopetalum macrophyllum</i>                          | Shrubby Velvet Bush        | NW     | S     |                  |            |                     | 2009                |           | vr/oc      | BGS      | DSF           |
| Malvaceae                     | <i>Malva neglecta</i>                                     | Dwarf mallow               | E      | F     | GML              | r/lc       | 1953                |                     | Yes       | r/nc       | BMNR     | HD            |
| Malvaceae                     | <i>Malva parviflora</i>                                   | Small-flowered Mallow      | E      | F     | GML              | r/nc       | 1964                |                     |           |            | No       |               |
| Malvaceae                     | <i>Modiola caroliniana</i>                                | Red-flowered Mallow        | E      | F     | GML              | s/lc       | 1964                |                     | Yes       | s/nc       | BMNR     | HD            |
| Malvaceae                     | <i>Thomasia petalocalyx</i>                               | Paper Flower               | NW     | SS    |                  |            |                     |                     | Yes       | vr/lc      | BMNR     | DSF           |
| Myrtaceae                     | <i>Babbingtonia</i> / <i>Baeckia</i> sp.                  |                            | NL     | S     |                  |            |                     | 2009                | Yes       | vr/r       | BMNR     | HD            |
| Myrtaceae                     | <i>Callistemon</i> sp. 1                                  | A bottlebrush              | NL     | S     |                  |            |                     |                     | Yes       | r/nc       | BMNR     | HD            |
| Myrtaceae                     | <i>Callistemon</i> sp. 2                                  | A bottlebrush              | NL     | S     |                  |            |                     | 2009                | Yes       | vr/r       | BMNR     | HD            |
| Myrtaceae                     | <i>Callistemon</i> sp. 3                                  | A bottlebrush              | NL     | S     |                  |            |                     | 2009                | Yes       | vr/r       | BMNR     | HD            |
| Myrtaceae                     | <i>Calytrix tetragona</i>                                 | Common Fringe Myrtle       | N      | S     |                  |            | 1969                | 2006                | Yes       | r/lc       | BMNR     | DSF           |
| Myrtaceae                     | <i>Darwinia citriodora</i>                                | Lemon-scented Darwinia     | NL-NW  | S     |                  |            |                     | 2004                | Yes       | r/nc       | BGN      | HD            |
| Myrtaceae                     | <i>Eucalyptus albens</i>                                  | White Box                  | NL     | T     |                  |            |                     | 2009                | Yes       | vr/oc      | BGS      | HD            |
| Myrtaceae                     | <i>Eucalyptus amplifolia</i> subsp. <i>amplifolia</i>     | Cabbage Gum                | NW     | T     |                  |            |                     | 2009                | Yes       | vr/oc      | BMNR     | GW            |
| Myrtaceae                     | <i>Eucalyptus blakelyi</i>                                | Blakely's Red Gum          | N      | T     | GML              | w/fc       | 1960                | 2009                | Yes       | s/c        | BMNR     | GW            |
| Myrtaceae                     | <i>Eucalyptus bridgesiana</i>                             | Apple Box                  | N      | T     | GML              | w/fc       | 1960                | 2009                | Yes       | s/c        | BMNR     | GW            |
| Myrtaceae                     | <i>Eucalyptus cinerea</i>                                 | Argyle Apple               | NL     | T     |                  |            |                     | 2009                | Yes       | r/r        | BMNR     | HD            |
| Myrtaceae                     | <i>Eucalyptus dives</i>                                   | Broad-leaved Peppermint    | N      | T     | GML              | w/c        | 1979                | 2009                | Yes       | s/lc       | BMNR     | DSF, GW       |
| Myrtaceae                     | <i>Eucalyptus globulus</i> subsp. <i>bicostata</i>        | Eurabbie, Southern Bluegum | NL-NW  | T     |                  |            |                     | 2009                | Yes       | r/r        | BMNR     | HD            |
| Myrtaceae                     | <i>Eucalyptus macrorhyncha</i> subsp. <i>macrorhyncha</i> | Red Stringybark            | N      | T     | GML              | w/vc       | 1972                | 1992                | Yes       | w/vc       | BMNR     | DSF           |
| Myrtaceae                     | <i>Eucalyptus mannifera</i> subsp. <i>mannifera</i>       | Brittle Gum                | N      | T     | GML              | w/vc       | 1976                | 1996                | Yes       | w/vc       | BMNR     | DSF           |
| Myrtaceae                     | <i>Eucalyptus melliodora</i>                              | Yellow Box                 | N      | T     | GML              | w/fc       | 1969                | 1982                | Yes       | s/nc       | BMNR     | GW            |
| Myrtaceae                     | <i>Eucalyptus polyanthemos</i> subsp. <i>polyanthemos</i> | Red Box                    | N      | T     | GML              | s/lc       | 1970                | 1998                | Yes       | s/lc       | BMNR     | DSF, GW       |

| Plant names, origin and habit |   |                                   |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|---|-----------------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name   | Common Name                       | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Myrtaceae                     | <i>Eucalyptus rossii</i>  | Inland Scribbly Gum, Scribbly Gum | N      | T     | GML              | w/vc       | 1972                | 1996                | Yes       | w/vc       | BMNR     | DSF           |
| Myrtaceae                     | <i>Eucalyptus rubida</i> subsp. <i>rubida</i>                   | Candlebark                        | N      | T     | GML              | r/nc       | 1946                | 2000s               |           | le         | No       |               |
| Myrtaceae                     | <i>Eucalyptus sideroxylon</i> subsp. <i>sideroxylon</i>         | An ironbark                       | NL     | T     |                  |            |                     | 2009                | Yes       | r/r        | BMNR     | HD            |
| Myrtaceae                     | <i>Eucalyptus viminalis</i> subsp. <i>viminalis</i>             | Manna Gum, Ribbon Gum             | NL-NW  | T     |                  |            |                     | 2009                | Yes       | r/r        | BMNR     | HD            |
| Myrtaceae                     | <i>Kunzea ambigua</i>   | Tick Bush                         | NW     | S     |                  |            |                     |                     | Yes       | vr/lc      | BMNR     | HD            |
| Myrtaceae                     | <i>Kunzea ericoides</i>   | Burgan                            | N      | S     | GML              | w/c        | 1970                |                     | Yes       | w/lc       | BMNR     | GW, DSF       |
| Myrtaceae                     | <i>Kunzea parvifolia</i>  | Violet Kunzea                     | N      | S     | GML              | vr/nc      | 1960s               | 2006                | Yes       | r/nc       | BMNR     | DSF           |
| Myrtaceae                     | <i>Leptospermum brevipes</i>                                    | Slender Teatree                   | NW     | S     |                  |            |                     |                     | Yes       | r/r        | BMNR     | DSF           |
| Myrtaceae                     | <i>Leptospermum continentale</i>                                | Prickly Tea-tree                  | N      | S     | spec             |            | 1965                | 2011                | Yes       | s/lc       | BMNR     | GW            |
| Myrtaceae                     | <i>Leptospermum laevigatum</i>                                  | A teatree                         | NL     | S     |                  |            |                     | 2009                |           | r/oc       | BMNR     | HD            |
| Myrtaceae                     | <i>Leptospermum multicaule</i>                                  | Silver Teatree                    | N      | S     | GML              | w/c        | 1976                | 2006                | Yes       | w/c        | BMNR     | DSF           |
| Myrtaceae                     | <i>Leptospermum polygalifolium</i> subsp. <i>polygalifolium</i> | Tantoon                           | NL-NW  | S     |                  |            |                     |                     | Yes       | r/r        | BMNR     | HD            |
| Myrtaceae                     | <i>Melaleuca armillaris</i> subsp. <i>armillaris</i>            | Bracelet Honey Myrtle             | NL-NW  | S     |                  |            |                     | 1998                | Yes       | r/lc       | BMNR     | HD            |
| Myrtaceae                     | <i>Melaleuca parvistaminea</i>                                  | Rough Paperbark                   | NL-NW  | S     |                  |            |                     | 2010                | Yes       | r/lc       | BMNR     | HD, CK        |
| Myrtaceae                     | <i>Micromyrtus ciliata</i>                                      | Heath Myrtle                      | NL     | S     |                  |            |                     |                     | Yes       | r/nc       | BMNR     | HD            |
| Oleaceae                      | <i>Fraxinus angustifolia</i> subsp. <i>angustifolia</i>         | Desert Ash                        | E      | T     |                  |            |                     | 2004                | Yes       | r/lc       | BMNR     | HD            |
| Oleaceae                      | <i>Ligustrum sinense</i>  | Chinese Privet                    | E      | S     | GML              | vr/oc      | 1964                | 1988                | Yes       | r/r        | BMNR     | DSF           |
| Oleaceae                      | <i>Olea</i> sp.   | Olive                             | E      | T     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | DSF           |
| Onagraceae                    | <i>Epilobium billardiianum</i> subsp. <i>cinereum</i>           | Variable Willowherb               | N      | F     | GML              | s/lc       | 1952                |                     | Yes       | s/nc       | BMNR     | CK            |
| Onagraceae                    | <i>Epilobium ciliatum</i>                                       | Glandular Willowherb              | E      | F     |                  |            |                     | 1988                |           |            | No       |               |
| Onagraceae                    | <i>Epilobium hirtigerum</i>                                     | Hairy Willowherb                  | N      | F     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | CK            |
| Onagraceae                    | <i>Oenothera lindheimeri</i>                                    | Clockweed                         | E      | F     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | HD            |

| Plant names, origin and habit |   |                                     |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|---|-------------------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name                                       | Common Name                         | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Onagraceae                    | <i>Oenothera stricta</i> subsp. <i>stricta</i>        | Evening Primrose                    | E      | F     | GML              | r/lc       | 1959?               |                     |           |            | No       |               |
| Orobanchaceae                 | <i>Bellardia latifolia</i>                            | Red Bartsia                         | E      | F     | GML              | s/lc       | 1964                |                     | Yes       | r/nc       | BMNR     | CK            |
| Orobanchaceae                 | <i>Orobanche minor</i>                                | Clover Broomrape, Lesser Broomrape  | E      | F     | GML              | r/lc       | 1969                | 1992                | Yes       | r/nc       | BMNR     | GW            |
| Oxalidaceae                   | <i>Oxalis exilis</i>                                  | Slender Oxalis                      | N      | F     | spec             |            | 1943                | 2002                | Yes       | s/lc       | BMNR     | GW            |
| Oxalidaceae                   | <i>Oxalis perennans</i>                               | Native Oxalis                       | N      | F     | GML              | w/c        | 1969                |                     | Yes       | s/lc       | BMNR     | GW            |
| Papaveraceae                  | <i>Argemone ochroleuca</i> subsp. <i>ochroleuca</i>   | Mexican Poppy                       | E      | F     |                  |            |                     |                     | Yes       | vr/oc      | BGS      | HD            |
| Papaveraceae                  | <i>Eschscholzia californica</i>                       | Californian Poppy                   | E      | F     | GML              | R/lc       | 1960s               |                     |           |            | No       |               |
| Papaveraceae                  | <i>Fumaria bastardii</i>                              | Bastard's Fumitory                  | E      | F     |                  |            |                     | 1998                |           |            | No       |               |
| Papaveraceae                  | <i>Fumaria muralis</i> subsp. <i>muralis</i>          | Wall Fumitory                       | E      | F     | GML              | r/lc       | 1964                |                     | Yes       | vr/r       | BGN      | HD            |
| Papaveraceae                  | <i>Papaver dubium</i>                                 | Long-headed Poppy                   | E      | F     | GML              | R/lc       | 1965                |                     | Yes       | vr/r       | BGN      | HD            |
| Papaveraceae                  | <i>Papaver hybridum</i>                               | Rough Poppy                         | E      | F     | GML              | s/nc       | 1964                |                     |           |            | No       |               |
| Papaveraceae                  | <i>Papaver rhoeas</i>                                 | Field Poppy                         | E      | F     | GML              | R/lc       | 1965                |                     |           |            | No       |               |
| Papaveraceae                  | <i>Papaver somniferum</i>                             | Opium Poppy                         | E      | F     | GML              | R/lc       | 1965                | 1996                |           |            | No       |               |
| Passifloraceae                | <i>Passiflora cinnabarina</i>                         | Red Passionflower                   | NW     | C     |                  |            |                     | 2009                | Yes       | r/uc       | BMNR     | DSF, CK       |
| Phrymaceae                    | <i>Limosella australis</i>                            | Mudwort                             | N      | F     | GML              | s/lc       | 1964                |                     |           |            | No       |               |
| Phyllanthaceae                | <i>Phyllanthus hirtellus</i>                          | Thyme Spurge                        | N      | SS    | GML              | s/lc       | 1979                | 2010                | Yes       | s/lc       | BMNR     | DSF           |
| Phyllanthaceae                | <i>Poranthera microphylla</i>                         | Small Poranthera                    | N      | F     | GML              | s/lc       | 1976                | 2011                | Yes       | s/lc       | BMNR     | DSF           |
| Pittosporaceae                | <i>Billardiera heterophylla</i>                       | Bluebell Creeper                    | NW     | C     |                  |            |                     | 2009                | Yes       | s/lc       | BMNR     | DSF           |
| Pittosporaceae                | <i>Billardiera scandens</i>                           | Common Appleberry, Hairy Appleberry | N      | C     | GML              | s/fc       | 1978                | 1998                | Yes       | s/nc       | BMNR     | DSF           |
| Pittosporaceae                | <i>Bursaria spinosa</i> subsp. <i>lasiophylla</i>     | Australian Blackthorn               | N      | S     | GML              | w/c        | 1970                | 2009                | Yes       | s/lc       | BMNR     | DSF, GW       |
| Pittosporaceae                | <i>Rhytidosporum procumbens</i>                       | White Rhytidosporum                 | N      | F     | GML              | s/nc       | 1978                | 1990                | Yes       | s/nc       | BMNR     | DSF           |
| Plantaginaceae                | <i>Linaria pelisseriana</i>                           | Pelisser's Toadflax                 | E      | F     | GML              | s/lc       | 1975                |                     | Yes       | r/lc       | BMNR     | GW            |
| Plantaginaceae                | <i>Plantago lanceolata</i>                            | Ribwort                             | E      | F     | GML              | w/fc       | 1935                |                     | Yes       | s/nc       | BMNR     | GW            |
| Plantaginaceae                | <i>Plantago varia</i>                                 | Variable Plantain                   | N      | F     | GML              | w/c        | 1969                |                     | Yes       | s/nc       | BMNR     | GW            |
| Plantaginaceae                | <i>Veronica arvensis</i>                              | Wall Speedwell                      | E      | F     | GML              | s/lc       | 1964                |                     | Yes       | s/lc       | BMNR     | CK, DSF       |
| Plantaginaceae                | <i>Veronica calycina</i>                              | Forest Speedwell                    | N      | F     | GML              | r/nc       | 1964                |                     | Yes       | s/r        | BMNR     | DSF           |
| Plantaginaceae                | <i>Veronica derwentiana</i> subsp. <i>derwentiana</i> | Derwent Speedwell                   | N      | SS    | spec             |            | 1938                |                     |           |            | No       |               |



| Plant names, origin and habit |  |                                      |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|--|--------------------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name  | Common Name                          | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Plantaginaceae                | <i>Veronica peregrina</i> subsp. <i>xalapensis</i>           | Wandering Speedwell                  | E      | F     | GML              | s/lc       | 1960s               |                     |           |            | No       |               |
| Plantaginaceae                | <i>Veronica perfoliata</i>                                   | Blue Veronica;<br>Digger's Speedwell | N      | SS    | GML              | r/r        | 1970                |                     | Yes       | s/lc       | BMNR     | DSF           |
| Plantaginaceae                | <i>Veronica persica</i>                                      | Creeping Speedwell                   | E      | F     | GML              | R/nc       | 1960s               |                     | Yes       | r/r        | BMNR     | CK            |
| Polygalaceae                  | <i>Comesperma volubile</i>                                   | Lovecreeper                          | N      | C     |                  |            | 1970                | 1993                | Yes       | vr/r       | BMNR     | DSF           |
| Polygonaceae                  | <i>Acetosella vulgaris</i>                                   | Sheep Sorrel                         | E      | F     | GML              | w/fc       | 1975                | 1998                | Yes       | s/lc       | BMNR     | GW            |
| Polygonaceae                  | <i>Persicaria hydropiper</i>                                 | Water Pepper                         | E      | F     | GML              | r/lc       | 1962                |                     | Yes       | r/r        | BMNR     | CK            |
| Polygonaceae                  | <i>Persicaria prostrata</i>                                  | Creeping Knotweed                    | N      | F     | GML              | s/lc       | 1962                |                     | Yes       | s/lc       | BMNR     | GW            |
| Polygonaceae                  | <i>Polygonum aviculare</i>                                   | Wireweed                             | E      | F     | GML              | s/lc       | 1964                |                     | Yes       | r/r        | BMNR     | GW            |
| Polygonaceae                  | <i>Rumex brownii</i>   | Swamp Dock                           | N      | F     | GML              | s/c        | 1969                |                     | Yes       | r/r        | BMNR     | GW            |
| Polygonaceae                  | <i>Rumex conglomeratus</i>                                   | Clustered Dock                       | E      | F     | GML              | R/r        | 1965                |                     |           |            | No       |               |
| Polygonaceae                  | <i>Rumex crispus</i>   | Curled Dock                          | E      | F     | GML              | s/lc       | 1971                |                     | Yes       | r/r        | BMNR     | HD            |
| Polygonaceae                  | <i>Rumex dumosus</i>   | Wiry Dock                            | N      | F     | GML              | s/nc       | 1960s               |                     |           |            | No       |               |
| Primulaceae                   | <i>Lysimachia arvensis</i>                                   | Scarlet Pimpernel                    | E      | F     | GML              | s/nc       | 1964                |                     | Yes       | s/nc       | BMNR     | CK            |
| Proteaceae                    | <i>Banksia marginata</i>                                     | Silver Banksia                       | NL     | S     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | HD            |
| Proteaceae                    | <i>Grevillea alpina</i>                                      | Mountain Grevillea                   | N      | S     | GML              | w/c        | 1979                | 1998                | Yes       | w/c        | BMNR     | DSF           |
| Proteaceae                    | <i>Grevillea arenaria</i> subsp. <i>arenaria</i>             | Sand Grevillea                       | NL-NW  | S     |                  |            |                     |                     | Yes       | vr/r       | BGN      | HD            |
| Proteaceae                    | <i>Grevillea juniperina</i> cultivar 1                       | A prickly spiderflower               | NL-NW  | S     |                  |            |                     |                     | Yes       | vr/r       | BGN      | HD            |
| Proteaceae                    | <i>Grevillea juniperina</i> cultivar 2                       | A prickly spiderflower               | NL-NW  | S     |                  |            |                     |                     | Yes       | vr/r       | BGN      | HD            |
| Proteaceae                    | <i>Grevillea juniperina</i> subsp. <i>sulphurea</i>          | Grevillea                            | NL-NW  | S     |                  |            |                     | 2009                | Yes       | r/nc       | BMNR     | HD            |
| Proteaceae                    | <i>Grevillea patulifolia</i>                                 | White Spiderflower                   | NW     | S     |                  |            |                     |                     | Yes       | vr/oc      | BGS      | HD            |
| Proteaceae                    | <i>Grevillea ramosissima</i> subsp. <i>ramosissima</i>       | Fan Grevillea                        | N      | S     |                  |            |                     | 2009                | Yes       | vr/lc      | BGS      | DSF           |
| Proteaceae                    | <i>Grevillea rosmarinifolia</i> cultivar 1                   |                                      | NW     | S     |                  |            |                     |                     | Yes       | vr/r       | BGN      | HD            |
| Proteaceae                    | <i>Grevillea rosmarinifolia</i> subsp. <i>rosmarinifolia</i> | Rosemary Grevillea                   | NW-NL  | S     |                  |            |                     | 2009                | Yes       | s/nc       | BMNR     | DSF           |
| Proteaceae                    | <i>Grevillea</i> sp. 'pinnate leaf'                          |                                      | NW     | S     |                  |            |                     |                     | Yes       | vr/r       | BGN      | HD            |
| Proteaceae                    | <i>Hakea decurrens</i> subsp. <i>decurrens</i>               | Bushy Needlewood                     | N      | S     | GML              | r/lc       | 1979                | 1986                | Yes       | s/lc       | BMNR     | DSF           |
| Proteaceae                    | <i>Hakea eriantha</i>  | Tree Hakea                           | NL-NW  | S     |                  |            |                     | 2009                | Yes       | r/lc       | BMNR     | HD, DSF       |

| Plant names, origin and habit |   |                                     |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|---|-------------------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name   | Common Name                         | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Proteaceae                    | <i>Hakea microcarpa</i>                                   | Jaradinty, Small-fruited Hakea      | N      | S     | spec             |            | 1949                |                     |           |            | No       |               |
| Proteaceae                    | <i>Hakea salicifolia</i> subsp. <i>salicifolia</i>        | Willow-leaved Hakea                 | NL-NW  | S     |                  |            |                     | 2009                | Yes       | r/lc       | BMNR     | HD            |
| Proteaceae                    | <i>Hakea sericea</i>                                      | Needlebush                          | NL-NW  | S     |                  |            |                     |                     | Yes       | vr/lc      | BMNR     | HD            |
| Proteaceae                    | <i>Lomatia myricoides</i>                                 | River Lomatia                       | NW     | S     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | CK            |
| Proteaceae                    | <i>Persoonia linearis</i>                                 | A geebung                           | NW     | S     |                  |            |                     | 2009                | Yes       | vr/oc      | BGS      | DSF           |
| Proteaceae                    | <i>Persoonia rigida</i>                                   | Rigid Geebung                       | N      | S     | GML              | s/nc       | 1975                | 1988                | Yes       | s/nc       | BMNR     | DSF           |
| Ranunculaceae                 | <i>Clematis leptophylla</i>                               | Small-leaved Clematis               | N      | C     | GML              | s/nc       | 1973                | 2009                | Yes       | s/nc       | BMNR     | DSF, CK       |
| Ranunculaceae                 | <i>Ranunculus lappaceus</i>                               | Australian Buttercup                | N      | F     | GML              | s/fc       | 1969                |                     | Yes       | r/nc       | BMNR     | DSF           |
| Ranunculaceae                 | <i>Ranunculus pumilio</i> var. <i>pumilio</i>             | Small-flowered Buttercup            | N      | F     | GML              | s/lc       | 1964                |                     | Yes       | r/lc       | BMNR     | CK            |
| Ranunculaceae                 | <i>Ranunculus sessiliflorus</i> var. <i>sessiliflorus</i> | Small-flowered Australian Buttercup | N      | F     | GML              | s/nc       | 1964                |                     | Yes       | r/nc       | BMNR     | GW, DSF       |
| Rhamnaceae                    | <i>Cryptandra amara</i>                                   | Pretty Cryptandra, Sweet Cryptandra | N      | SS    | GML              | s/lc       | 1975                | 2009                | Yes       | s/nc       | BMNR     | DSF           |
| Rhamnaceae                    | <i>Cryptandra</i> sp. Floriferous (W.R.Barker 4131)       | Many-flowered Bitter Cryptandra     | N      | SS    | GML              | s/nc       | 1975                | 1995                | Yes       | r/nc       | BMNR     | DSF           |
| Rhamnaceae                    | <i>Pomaderris andromedifolia</i> subsp. <i>confusa</i>    | Yellow Pomaderris                   | N      | S     |                  |            | 1980                |                     | Yes       | r/lc       | BMNR     | DSF           |
| Rhamnaceae                    | <i>Pomaderris angustifolia</i>                            | Narrow-leaved Pomaderris            | U      | S     |                  |            |                     |                     | Yes       | vr/r       | BMNR     | DSF           |
| Rhamnaceae                    | <i>Pomaderris betulina</i> subsp. <i>actensis</i>         | A pomaderris                        | N      | S     |                  |            |                     | 2009                | Yes       | r/lc       | BMNR     | DSF           |
| Rhamnaceae                    | <i>Pomaderris discolor</i>                                |                                     | U      | S     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | DSF           |
| Rhamnaceae                    | <i>Pomaderris eriocephala</i>                             | Woolly-headed Pomaderris            | N      | S     |                  |            |                     | 2009                | Yes       | vr/oc      | BMNR     | DSF           |
| Rhamnaceae                    | <i>Pomaderris intermedia</i>                              | Golden Pomaderris                   | N      | S     | GML              | s/lc       | 1975                | 2011                | Yes       | s/lc       | BMNR     | DSF           |
| Rosaceae                      | <i>Acaena echinata</i>                                    | Sheep's Burr                        | N      | F     |                  |            |                     |                     | Yes       | r/nc       | BMNR     | HD            |
| Rosaceae                      | <i>Acaena novae-zelandiae</i>                             | Biddy-biddy, Bidgee Widgee          | N      | F     | GML              | s/lc       | 1969                | 2011                | Yes       | s/nc       | BMNR     | DSF           |
| Rosaceae                      | <i>Acaena ovina</i>                                       | Sheep's Burr                        | N      | F     | GML              | w/fc       | 1969                |                     | Yes       | r/nc       | BMNR     | GW            |
| Rosaceae                      | <i>Aphanes arvensis</i>                                   | Parsley Piert                       | E      | F     | GML              | s/lc       | 1949                |                     |           |            | No       |               |
| Rosaceae                      | <i>Aphanes australiana</i>                                | Australian Aphanes                  | N      | F     | GML              | s/lc       | 1964                |                     | Yes       | r/r        | BMNR     | GW            |

| Plant names, origin and habit |   |                          |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|---|--------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name                                       | Common Name              | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Rosaceae                      | <i>Cotoneaster glaucophyllus</i>                      | Large-leaved Cotoneaster | E      | S     |                  |            |                     | 2009                | Yes       | r/r        | BMNR     | HD            |
| Rosaceae                      | <i>Cotoneaster rotundifolius</i>                      | A cotoneaster            | E      | S     | GML              | r/nc       | 1964                | 2009                | Yes       | r/r        | BMNR     | HD            |
| Rosaceae                      | <i>Crataegus monogyna</i>                             | Hawthorn                 | E      | S     | GML              | r/nc       | 1975                | 2009                | Yes       | s/nc       | BMNR     | HD, DSF       |
| Rosaceae                      | <i>Malus domestica</i>                                | Apple                    | E      | T     | GML              | r/nc       | 1962                | 2009                |           | vr/r       | BMNR     | DSF           |
| Rosaceae                      | <i>Photinia serratifolia</i>                          | Photinia                 | E      | S     |                  |            |                     | 1990                | Yes       | r/r        | BMNR     | DSF           |
| Rosaceae                      | <i>Prunus cerasifera</i>                              | Cherry Plum              | E      | T     |                  |            |                     | 2009                | Yes       | r/r        | BMNR     | HD            |
| Rosaceae                      | <i>Pyracantha angustifolia</i>                        | Orange Firethorn         | E      | S     |                  |            |                     | 2009                | Yes       | r/lc       | BMNR     | HD, DSF       |
| Rosaceae                      | <i>Pyracantha crenulata</i>                           | Nepal Firethorn          | E      | S     | GML              | vr/r       | 1960s               | 2009                | Yes       | vr/r       | BGS      | HD            |
| Rosaceae                      | <i>Pyracantha fortuneana</i>                          | Red Firethorn            | E      | S     | GML              | vr/r       | 1960s               | 2009                | Yes       | vr/r       | BGS      | HD            |
| Rosaceae                      | <i>Pyracantha</i> sp.                                 | A firethorn              | E      | S     |                  |            |                     | 2009                | Yes       | vr/nc      | BMNR     | DSF           |
| Rosaceae                      | <i>Rosa rubiginosa</i>                                | Sweet Briar              | E      | S     | GML              | s/lc       | 1963                | 2009                | Yes       | s/lc       | BMNR     | GW, DSF       |
| Rosaceae                      | <i>Rubus anglocandicans</i>                           | Blackberry               | E      | S     | GML              | r/lc       | 1960s               | 2009                |           | s/lc       | BMNR     | GW, CK        |
| Rosaceae                      | <i>Rubus loganobaccus</i>                             | Loganberry               | E      | S     | GML              | vr/lc      | 1960                |                     |           |            | No       |               |
| Rosaceae                      | <i>Rubus parvifolius</i>                              | Native Raspberry         | N      | S     | spec             |            | 1953                | 2009                | Yes       | s/nc       | BMNR     | GW            |
| Rosaceae                      | <i>Sanguisorba minor</i>                              | Sheep's Burnet           | E      | F     | GML              | s/nc       | 1960s               | 1998                | Yes       | s/nc       | BMNR     | HD            |
| Rosaceae                      | <i>Sorbus domestica</i>                               | Service Tree             | E      | S     |                  |            |                     | 1990                | Yes       | r/r        | BMNR     | DSF           |
| Rubiaceae                     | <i>Asperula conferta</i>                              | Common Woodruff          | N      | F     | GML              | w/fc       | 1965                | Yes                 | Yes       | r/lc       | BMNR     | GW            |
| Rubiaceae                     | <i>Galium aparine</i>                                 | Cleavers                 | E      | F     | GML              | R/nc       | 1965                |                     | Yes       | r/lc       | BMNR     | DSF           |
| Rubiaceae                     | <i>Galium divaricatum</i>                             | Slender Bedstraw         | E      | F     | GML              | s/lc       | 1960s               |                     | Yes       | r/lc       | BMNR     | GW            |
| Rubiaceae                     | <i>Galium gaudichaudii</i> subsp. <i>gaudichaudii</i> | Rough Bedstraw           | N      | F     | GML              | s/lc       | 1969                |                     | Yes       | s/nc       | BMNR     | DSF           |
| Rubiaceae                     | <i>Galium murale</i>                                  | Small Bedstraw           | E      | F     | GML              | s/lc       | 1964                |                     | Yes       | r/lc       | BMNR     | DSF           |
| Rubiaceae                     | <i>Opercularia hispida</i>                            | Hairy Stinkweed          | N      | F     | GML              | s/nc       | 1962                |                     | Yes       | s/r        | BMNR     | DSF, CK       |
| Rubiaceae                     | <i>Pomax umbellata</i>                                | Pomax                    | N      | SS    | GML              | s/nc       | 1975                | 2012                | Yes       | s/lc       | BMNR     | DSF           |
| Rubiaceae                     | <i>Sherardia arvensis</i>                             | Field Madder             | E      | F     | GML              | s/lc       | 1959                |                     | Yes       | r/nc       | BMNR     | CK            |
| Rutaceae                      | <i>Coleonema pulchellum</i>                           | Diosma                   | E      | S     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | HD            |
| Rutaceae                      | <i>Correa glabra</i> var. <i>glabra</i>               | Rock Correa              | NW     | S     |                  |            |                     |                     | Yes       | vr/oc      | BMNR     | GW            |
| Rutaceae                      | <i>Correa lawrenceana</i> var. <i>cordifolia</i>      | A correa                 | NL     | S     |                  |            |                     | 2009                | Yes       | vr/oc      | BMNR     | HD            |
| Rutaceae                      | <i>Correa reflexa</i> var. <i>reflexa</i>             | Common Correa            | NL     | S     |                  |            |                     | 2009                | Yes       | vr/r       | BMNR     | HD            |

| Plant names, origin and habit |  |  |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|--|--|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name                                    | Common Name                                  | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Rutaceae                      | <i>Correa reflexa</i> var. <i>speciosa</i>         | A correa                                     | NL-NW  | S     |                  |            |                     | 2009                | Yes       | vr/oc      | BMNR     | HD            |
| Santalaceae                   | <i>Choretrum pauciflorum</i>                       | Dwarf Sourbush, Sourbush                     | N      | S     | GML              | r/nc       | 1963                | 2009                | Yes       | s/nc       | BMNR     | DSF           |
| Santalaceae                   | <i>Exocarpos cupressiformis</i>                    | Native Cherry; Cherry Ballart                | N      | T     | GML              | w/c        | 1975                |                     | Yes       | w/c        | BMNR     | DSF           |
| Santalaceae                   | <i>Exocarpos strictus</i>                          | Dwarf Cherry, Pale Ballart                   | N      | S     | GML              | vr/r       | 1964                |                     | Yes       | vr/r       | BMNR     | DSF           |
| Santalaceae                   | <i>Omphacomeria acerba</i>                         | Leafless Sourbush; Sourbush                  | N      | S     | GML              | r/lc       | 1978                | 1999                | Yes       | s/nc       | BMNR     | DSF           |
| Sapindaceae                   | <i>Dodonaea triangularis</i>                       | Triangle-leaved Hopbush                      | NW     | S     |                  |            |                     |                     | Yes       | vr/lc      | BGN      | DSF           |
| Sapindaceae                   | <i>Dodonaea viscosa</i> subsp. <i>angustissima</i> | Narrow-leaved Hopbush                        | NL     | S     |                  |            |                     | 2009                | Yes       | vr/r       | BMNR     | DSF           |
| Sapindaceae                   | <i>Dodonaea viscosa</i> subsp. <i>spatulata</i>    | Broad-leaved Hopbush                         | N      | S     | GML              | s/fc       | 1969                | 2006                | Yes       | s/fc       | BMNR     | DSF           |
| Scrophulariaceae              | <i>Buddleja davidii</i>                            | Butterfly Bush                               | E      | S     |                  |            |                     |                     | Yes       | vr/oc      | BGN      | HD            |
| Scrophulariaceae              | <i>Myoporum montanum</i>                           | Western Boobialla, Water Bush                | NL     | T     |                  |            |                     | 2009                |           | vr/oc      | BMNR     | HD            |
| Scrophulariaceae              | <i>Verbascum thapsus</i> subsp. <i>thapsus</i>     | Great Mullein                                | E      | F     | GML              | s/lc       | 1969                |                     | Yes       | s/lc       | BMNR     | GW            |
| Scrophulariaceae              | <i>Verbascum virgatum</i>                          | Twiggy Mullein                               | E      | F     | GML              | s/lc       | 1969                |                     | Yes       | s/lc       | BMNR     | GW            |
| Solanaceae                    | <i>Datura stramonium</i>                           | Common Thornapple                            | E      | F     | GML              | r/nc       | 1960s               |                     | Yes       | r/nc       | BMNR     | HD            |
| Solanaceae                    | <i>Lycium ferocissimum</i>                         | African Boxthorn                             | E      | S     | GML              | r/nc       | 1967                | 2009                | Yes       | r/nc       | BMNR     | DSF           |
| Solanaceae                    | <i>Petunia × atkinsiana</i>                        | Garden Petunia                               | E      | F     |                  |            |                     | 2011                |           | vr/oc      | BMNR     | HD            |
| Solanaceae                    | <i>Physalis hederifolia</i>                        | Sticky Cape Gooseberry, Sticky Ground Cherry | E      | F     |                  |            |                     |                     | Yes       | vr/lc      | BGS      | HD            |
| Solanaceae                    | <i>Solanum brownii</i>                             | Violet Nightshade                            | NW     | S     |                  |            |                     |                     | Yes       | vr/r       | BGS      | HD            |
| Solanaceae                    | <i>Solanum linearifolium</i>                       | Mountain Kangaroo Apple                      | N      | S     |                  |            |                     | 1993                | Yes       | s/nc       | BMNR     | DSF           |
| Solanaceae                    | <i>Solanum nigrum</i>                              | Blackberry Nightshade                        | E      | F     | GML              | s/lc       | 1962                |                     | Yes       | s/nc       | BMNR     | DSF           |
| Solanaceae                    | <i>Solanum triflorum</i>                           | Three-flowered Nightshade                    | E      | F     | GML              | s/lc       | 1961                |                     | Yes       | r/nc       | BMNR     | DSF           |
| Stylidiaceae                  | <i>Stylidium despectum</i>                         | Small Triggerplant                           | N      | F     | GML              | s/lc       | 1978                |                     | Yes       | r/lc       | BMNR     | CK            |
| Stylidiaceae                  | <i>Stylidium graminifolium</i>                     | Grass Triggerplant                           | N      | Gr    | GML              | s/c        | 1975                | 1986                | Yes       | w/c        | BMNR     | DSF           |

| Plant names, origin and habit |  |                                    |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|--|------------------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name  | Common Name                        | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Thymelaeaceae                 | <i>Pimelea curviflora</i> var. <i>sericea</i>            | Curved Riceflower                  | N      | SS    | GML              | s/lc       | 1969                | 2005                | Yes       | s/lc       | BMNR     | GW            |
| Thymelaeaceae                 | <i>Pimelea glauca</i>                                    | Smooth Riceflower                  | N      | S     | spec             |            | 1949                |                     |           |            | No       |               |
| Thymelaeaceae                 | <i>Pimelea linifolia</i> subsp. <i>linifolia</i>         | Slender Rice Flower                | N      | S     | GML              | s/lc       | 1975                | 1993                | Yes       | s/nc       | BMNR     | DSF           |
| Ulmaceae                      | <i>Ulmus minor</i>                                       | Elm                                | E      | T     |                  |            |                     | 2009                | Yes       | vr/r       | BMNR     | DSF           |
| Unknown                       | Unknown deciduous tree                                   |                                    | E      | T     |                  |            |                     | 2009                | Yes       | r/r        | BMNR     | DSF           |
| Verbenaceae                   | <i>Verbena incompta</i>                                  | Purple-top                         | E      | F     |                  |            |                     |                     | Yes       | r/lc       | BMNR     | HD            |
| Verbenaceae                   | <i>Verbena quadrangularis</i>                            | A verbena                          | E      | F     |                  |            |                     |                     | Yes       | r/lc       | BMNR     | HD            |
| Violaceae                     | <i>Melicytus angustifolius</i> subsp. <i>divaricatus</i> | Treeviolet                         | NW     | S     |                  |            |                     |                     | Yes       | vr/oc      | BGN      | HD            |
| Violaceae                     | <i>Viola betonicifolia</i> subsp. <i>betonicifolia</i>   | Showy Violet;<br>Mountain Violet   | N      | F     | GML              | s/lc       | 1964                | 2012                | Yes       | vr/r       | BMNR     | CK            |
| Violaceae                     | <i>Viola caleyana</i>                                    | Swamp Violet                       | U      | F     |                  |            | 1972                |                     |           |            | No       |               |
| Violaceae                     | <i>Viola odorata</i>                                     | Common Violet                      | E      | F     |                  |            |                     | 1990                | Yes       | r/r        | BMNR     | CK            |
| Vitaceae                      | <i>Vitis vinifera</i>                                    | Grapevine                          | E      | C     |                  |            |                     |                     | Yes       | r/r        | BGN      | CK            |
| Winteraceae                   | <i>Tasmania lanceolata</i>                               | Mountain Pepper                    | NW     | S     |                  |            |                     |                     | Yes       | r/r        | BGS      | DSF           |
| <b>MONOCOTYLEDONS</b>         |  |                                    |        |       |                  |            |                     |                     |           |            |          |               |
| Asparagaceae                  | <i>Arthropodium fimbriatum</i>                           | Nodding Chocolate Lily             | N      | Gr    | GML              | s/lc       | 1973                | 2010                | Yes       | s/lc       | BMNR     | GW            |
| Asparagaceae                  | <i>Arthropodium milleflorum</i>                          | Pale Vanilla Lily,<br>Vanilla Lily | N      | Gr    | GML              | s/lc       | 1960s               |                     | Yes       | vr/oc      | BMNR     | GW            |
| Asparagaceae                  | <i>Laxmannia gracilis</i>                                | Wire Lily                          | N      | Gr    | GML              | r/nc       | 1962                | 2012                | Yes       | r/lc       | BMNR     | GW            |
| Asparagaceae                  | <i>Lomandra filiformis</i> subsp. <i>coriacea</i>        | Wattle Matrush                     | N      | Gr    | GML              | s/lc       | 1969                | 2003                | Yes       | s/lc       | BMNR     | GW            |
| Asparagaceae                  | <i>Lomandra filiformis</i> subsp. <i>filiformis</i>      | Wattle Matrush                     | N      | Gr    | GML              | s/lc       | 1961                | 2003                | Yes       | s/lc       | BMNR     | DSF,<br>CK    |
| Asparagaceae                  | <i>Lomandra longifolia</i>                               | Long-leaved Matrush                | N      | Gr    | GML              | w/lc       | 1975                | 2004                | Yes       | w/lc       | BMNR     | DSF           |
| Asparagaceae                  | <i>Lomandra multiflora</i> subsp. <i>multiflora</i>      | Many-flowered Matrush              | N      | Gr    | GML              | s/lc       | 1975                | 2003                | Yes       | s/lc       | BMNR     | DSF           |
| Asparagaceae                  | <i>Thysanotus patersonii</i>                             | Twining Fringed Lily               | N      | Gr    | GML              | r/nc       | 1969                | 2010                | Yes       | s/nc       | BMNR     | DSF           |
| Asparagaceae                  | <i>Thysanotus tuberosus</i> subsp. <i>tuberosus</i>      | Fringed Lily                       | N      | Gr    | GML              | s/lc       | 1969                | 2010                | Yes       | s/nc       | BMNR     | DSF,<br>GW    |
| Asphodelaceae                 | <i>Bulbine bulbosa</i>                                   | Bulbine Lily                       | N      | Gr    | GML              | s/lc       | 1961                | 2011                | Yes       | s/lc       | BMNR     | GW            |
| Asphodelaceae                 | <i>Bulbine glauca</i>                                    | Rock Lily                          | N      | Gr    |                  |            |                     |                     | Yes       | r/nc       | BMNR     | DSF           |
| Centrolepidaceae              | <i>Centrolepis strigosa</i> subsp. <i>strigosa</i>       | Hairy Centrolepis                  | N      | Gr    | GML              | r/r        | 1978                |                     | Yes       | r/lc       | BMNR     | CK            |
| Colchicaceae                  | <i>Burchardia umbellata</i>                              | Milkmaids                          | N      | Gr    | GML              | r/lc       | 1964                |                     |           |            | No       |               |

| Plant names, origin and habit |   |                                      |        |           | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|---|--------------------------------------|--------|-----------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name                                       | Common Name                          | Origin | Habit     | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Colchicaceae                  | <i>Wurmbea dioica</i> subsp. <i>dioica</i>            | Early Nancy                          | N      | Gr        | GML              | s/lc       | 1968                |                     | Yes       | s/lc       | BMNR     | DSF, GW       |
| Cyperaceae                    | <i>Carex appressa</i>                                 | Tussock Sedge, Tall Tassel Sedge     | N      | Gr        | GML              | r/lc       | 1964                |                     | Yes       | r/lc       | BMNR     | CK            |
| Cyperaceae                    | <i>Carex breviculmis</i>                              | Short-stemmed Sedge                  | N      | Gr        | GML              | w/fc       | 1964                | 2010                |           | vr/oc      | BMNR     | ?             |
| Cyperaceae                    | <i>Carex inversa</i>                                  | Knob Sedge                           | N      | Gr        | GML              | s/fc       | 1964                | 2011                | Yes       | r/nc       | BMNR     | GW            |
| Cyperaceae                    | <i>Cyperus eragrostis</i>                             | Umbrella Sedge                       | E      | Gr        | GML              | r/lc       | 1962                |                     | Yes       | r/lc       | BMNR     | CK            |
| Cyperaceae                    | <i>Cyperus sanguinolentus</i>                         | Dark Flatsedge                       | N      | Gr        | GML              | r/lc       | 1961                |                     | Yes       | r/lc       | BMNR     | CK            |
| Cyperaceae                    | <i>Cyperus sphaeroideus</i>                           | Kyllinga Weed                        | N      | Gr        | spec             |            | 1953                |                     | Yes       | r/lc       | BMNR     | CK            |
| Cyperaceae                    | <i>Eleocharis acuta</i>                               | Common Spikerush                     | N      | A         | GML              | w/fc       | 1949                | 1982                | Yes       | r/c        | BMNR     | D             |
| Cyperaceae                    | <i>Eleocharis atricha</i>                             | Tuber Spikerush                      | N      | Gr        | GML              | r/lc       | 1952                |                     | Yes       | r/vc       | BMNR     | CK            |
| Cyperaceae                    | <i>Isolepis gaudichaudiana</i>                        | Benambra Clubsedge                   | N      | Gr        | GML              | s/lc       | 1964                | 2009                | Yes       | r/lc       | BMNR     | CK            |
| Cyperaceae                    | <i>Isolepis levysiana</i>                             | Tiny Flatsedge                       | E      | Gr        | GML              | r/lc       | 1973?               |                     | Yes       | s/lc       | BMNR     | CK            |
| Cyperaceae                    | <i>Isolepis marginata</i>                             | Little Clubsedge                     | E      | Gr        | GML              | s/lc       | 1964                | 1995                |           |            | No       |               |
| Cyperaceae                    | <i>Isolepis multicaulis</i>                           | Grassy Clubsedge                     | N      | Gr        | GML              | s/lc       | 1964                | 1982                | Yes       | r/lc       | BMNR     | CK            |
| Cyperaceae                    | <i>Isolepis platycarpa</i>                            | Flatfruit Clubsedge                  | N      | Gr        | GML              | r/nc       | 1949                |                     |           |            | No       |               |
|                               |   |                                      |        |           |                  |            |                     |                     |           |            |          |               |
| Cyperaceae                    | <i>Isolepis subtilissima</i>                          | Dwarf Clubsedge                      | N      | Gr        | GML              | r/nc       | 1953                |                     |           |            | No       |               |
| Cyperaceae                    | <i>Lepidosperma gunnii</i>                            | Narrow Swordsedge, Little Swordsedge | N      | Gr        | GML              | r/lc       | 1975                |                     | Yes       | s/fc       | BMNR     | DSF           |
| Cyperaceae                    | <i>Lepidosperma laterale</i>                          | Variable Swordsedge                  | N      | Gr        | GML              | s/lc       | 1976                |                     | Yes       | s/lc       | BMNR     | DSF           |
| Cyperaceae                    | <i>Schoenus apogon</i> var. <i>apogon</i>             | Fluke Bogsedge, Common Bogsedge      | N      | Gr        | GML              | w/lc       | 1969                | 2009                | Yes       | s/lc       | BMNR     | GW, CK        |
| Cyperaceae                    | <i>Schoenus latelaminatus</i>                         | Medusa Bogsedge                      | N      | Gr        | GML              | r/lc       | 1953                |                     |           |            | No       |               |
| Eriocaulaceae                 | <i>Eriocaulon scariosum</i>                           | Rough Pipewort                       | N      | Gr        |                  |            |                     | 1984                | Yes       | r/lc       | BMNR     | CK            |
| Hemerocallidaceae             | <i>Caesia calliantha</i>                              | Blue Grass Lily                      | N      | Gr        | GML              | r/nc       | 1971                |                     | Yes       | r/nc       | BMNR     | DSF           |
| Hemerocallidaceae             | <i>Dianella longifolia</i> var. <i>longifolia</i>     | Smooth Flax Lily                     | N      | Gr        |                  |            |                     | 2011                |           | vr/oc      | BMNR     | DSF           |
| Hemerocallidaceae             | <i>Dianella revoluta</i> var. <i>revoluta</i>         | Spreading Flax Lily                  | N      | Gr        | GML              | s/lc       | 1969                | 1998                | Yes       | s/lc       | BMNR     | DSF           |
| Hemerocallidaceae             | <i>Stypandra glauca</i>                               | Nodding Blue Lily                    | N      | <b>Gr</b> | GML              | s/lc       | 1975                | 2006                | Yes       | s/nc       | BMNR     | DSF           |
| Hemerocallidaceae             | <i>Tricoryne elatior</i>                              | Yellow Rush Lily                     | N      | Gr        | GML              | w/lc       | 1969                | 1995                | Yes       | s/lc       | BMNR     | GW            |
| Hypoxidaceae                  | <i>Hypoxis hygrometrica</i> var. <i>villosisepala</i> | Golden Weather-glass, Golden Star    | N      | Gr        | GML              | s/lc       | 1953                |                     | Yes       | r/nc       | BMNR     | CK            |

| Plant names, origin and habit |  |                               |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|--|-------------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name                            | Common Name                   | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Iridaceae                     | <i>Romulea rosea</i> var. <i>australis</i> | Onion Grass                   | E      | Gr    |                  |            |                     |                     | Yes       | s/lc       | BMNR     | HD            |
| Iridaceae                     | <i>Sisyrinchium rosulatum</i>              | Scourweed                     | E      | Gr    | GML              | r/nc       | 1961                |                     | Yes       | s/nc       | BMNR     | CK            |
| Juncaceae                     | <i>Juncus articulatus</i>                  | Jointed Rush                  | E      | Gr    | GML              | s/lc       | 1956                |                     | Yes       | s/nc       | BMNR     | CK            |
| Juncaceae                     | <i>Juncus australis</i>                    | Australian Rush               | N      | Gr    | GML              | w/fc       | 1964                |                     | Yes       | s/nc       | BMNR     | CK            |
| Juncaceae                     | <i>Juncus bufonius</i>                     | Toad Rush                     | N      | Gr    | GML              | w/c        | 1980                |                     | Yes       | s/lc       | BMNR     | CK, GW        |
| Juncaceae                     | <i>Juncus capitatus</i>                    | Dwarf Rush                    | E      | Gr    | GML              | s/lc       | 1964                | 1995                | Yes       | s/lc       | BMNR     | CK            |
| Juncaceae                     | <i>Juncus filicaulis</i>                   | Thread Rush                   | N      | Gr    | GML              | s/lc       | 1960s               |                     |           |            | No       |               |
| Juncaceae                     | <i>Juncus fockei</i>                       | Slender-jointed Rush          | N      | Gr    | GML              | r/nc       | 1960s               | 2009                |           | vr/oc      | BMNR     | D             |
| Juncaceae                     | <i>Juncus holoschoenus</i>                 | Joint-leaved Rush             | N      | Gr    | GML              | r/nc       | 1960s               |                     | Yes       | r/r        | BMNR     | CK            |
| Juncaceae                     | <i>Juncus homalocaulis</i>                 | Wiry Rush                     | N      | Gr    | GML              | s/lc       | 1960s               |                     | Yes       | r/r        | BMNR     | CK            |
| Juncaceae                     | <i>Juncus planifolius</i>                  | Broad-leaved Rush             | N      | Gr    | GML              | r/nc       | 1975                | 2009                | Yes       | r/nc       | BMNR     | CK            |
| Juncaceae                     | <i>Juncus remotiflorus</i>                 | Diffuse Rush                  | N      | Gr    | spec             |            | 1969                |                     | Yes       | r/lc       | BMNR     | CK            |
| Juncaceae                     | <i>Juncus subsecundus</i>                  | Finger Rush                   | N      | Gr    | GML              | s/lc       | 1969                |                     | Yes       | r/nc       | BMNR     | CK            |
| Juncaceae                     | <i>Juncus vaginatus</i>                    | Clustered Rush                | N      | Gr    | GML              | s/lc       | 1962                |                     | Yes       | s/nc       | BMNR     | CK            |
| Juncaceae                     | <i>Luzula densiflora</i>                   | Woodrush                      | N      | Gr    | spec             |            | 1978                | 1995                | Yes       | s/nc       | BMNR     | GW, CK, DSF   |
| Juncaceae                     | <i>Luzula flaccida</i>                     | Pale Woodrush                 | N      | Gr    | spec             |            | 1975                |                     |           |            | No       |               |
| Juncaceae                     | <i>Luzula meridionalis</i>                 | Field Woodrush                | N      | Gr    | spec             |            | 1975                |                     |           |            | No       |               |
| Juncaceae                     | <i>Luzula ovata</i>                        | A woodrush                    | N      | Gr    |                  |            |                     | 1988                | Yes       | s/nc       | BMNR     | GW, CK        |
| Orchidaceae                   | <i>Acianthus collinus</i>                  | Hooded Mosquito Orchid        | N      | Gr    |                  |            |                     | 2006                | Yes       | r/r-lc     | BMNR     | DSF           |
| Orchidaceae                   | <i>Acianthus exsertus</i>                  | Large Mosquito Orchid         | N      | Gr    | GML              | r/lc       | 1971                | 1999                | Yes       | s/lc       | BMNR     | DSF           |
| Orchidaceae                   | <i>Bunochilus umbrinus</i>                 | Broad-sepaled Leafy Greenhood | N      | Gr    | GML              | r/lc       | 1975                | 1990                | Yes       | r/nc       | BMNR     | DSF, CK       |
| Orchidaceae                   | <i>Caladenia atrovessa</i>                 | Thin-clubbed Mantis Orchid    | N      | Gr    | GML              | w/fc       | 1973                | 2005                | Yes       | w/nc       | BMNR     | DSF, GW       |
| Orchidaceae                   | <i>Caladenia caerulea</i>                  | Blue Caladenia                | N      | Gr    | GML              | r/lc       | 1978                | 2001                | Yes       | w/c        | BMNR     | DSF, GW       |
| Orchidaceae                   | <i>Caladenia carnea</i>                    | Pink Fingers                  | N      | Gr    | GML              | w/c        | 1963                |                     | Yes       | s/nc       | BMNR     | DSF, GW       |
| Orchidaceae                   | <i>Caladenia congesta</i>                  | Pink Caps                     | N      | Gr    | GML              | r/nc       | 1979                | 1998                | Yes       | r/nc       | BMNR     | DSF, CK       |
| Orchidaceae                   | <i>Caladenia cucullata</i>                 | Lemon Caps                    | N      | Gr    | GML              | w/c        | 1964                | 1992                | Yes       | w/c        | BMNR     | DSF           |

| Plant names, origin and habit |                                   |                               |        |       | 1969             |            | ≤1980               | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017  |          |               |
|-------------------------------|-----------------------------------|-------------------------------|--------|-------|------------------|------------|---------------------|---------------------|---------------------|------------|----------|---------------|
| Family Name                   | Scientific Name                   | Common Name                   | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded?           | D/A rating | Location | Broad habitat |
| Orchidaceae                   | <i>Caladenia filamentosa</i>      | Daddy Long-legs               | N      | Gr    |                  |            | 1975                |                     |                     |            | No       |               |
| Orchidaceae                   | <i>Caladenia fuscata</i>          | Dusky Fingers                 | N      | Gr    |                  |            | 1975                | 2001                | Yes                 | w/fc       | BMNR     | DSF, GW       |
| Orchidaceae                   | <i>Caladenia major</i>            | Wax-lipped Orchid             | N      | Gr    | GML              | w/c        | 1975                | 2001                | Yes                 | w/fc       | BMNR     | DSF, GW       |
| Orchidaceae                   | <i>Caladenia mentiens</i>         | Lesser Fingers                | N      | Gr    |                  |            |                     | 1999                | Yes                 | vr/r       | BMNR     | CK            |
| Orchidaceae                   | <i>Caladenia moschata</i>         | Musky Caps                    | N      | Gr    | GML              | w/c        | 1978                | 2001                | Yes                 | w/c        | BMNR     | DSF           |
| Orchidaceae                   | <i>Caladenia ustulata</i>         | Brown Caps                    | N      | Gr    | GML              | w/fc       | 1975                | 2005                | Yes                 | w/c        | BMNR     | DSF           |
| Orchidaceae                   | <i>Caleana minor</i>              | Small Duck Orchid             | N      | Gr    |                  |            |                     | 2008                | Yes                 | s/nc       | BMNR     | DSF           |
| Orchidaceae                   | <i>Calochilus montanus</i>        | Mountain Bearded Orchid       | N      | Gr    | GML              | r/r        | 1961                | 2002                | Yes                 | r/nc       | BMNR     | DSF           |
| Orchidaceae                   | <i>Calochilus paludosus</i>       | Beard Orchid                  | N      | Gr    |                  |            |                     | 1992                | Yes                 | vr/r       | BMNR     | DSF           |
| Orchidaceae                   | <i>Calochilus platyichilus</i>    | Purple Beard Orchid           | N      | Gr    | GML              | s/lc       | 1975                | 2003                | Yes                 | w/lc       | BMNR     | DSF           |
| Orchidaceae                   | <i>Calochilus therophilus</i>     | Late Beard Orchid             | N      | Gr    |                  |            |                     | 1994                | Yes                 | r/r        | BMNR     | DSF           |
| Orchidaceae                   | <i>Chiloglottis seminuda</i>      | Bare-tipped Wasp Orchid       | N      | Gr    |                  |            |                     |                     | Yes                 | vr/r       | BGS      | CK            |
| Orchidaceae                   | <i>Chiloglottis trapeziformis</i> | Diamond Ant Orchid            | N      | Gr    | GML              | r/r        | 1964                | 1991                | Yes                 | r/lc       | BMNR     | CK            |
| Orchidaceae                   | <i>Chiloglottis trilabra</i>      | Long-clubbed Wasp Orchid      | N      | Gr    | GML              | r/lc       | 1963                | 1992                | Yes                 | r/lc       | BMNR     | DSF           |
| Orchidaceae                   | <i>Chiloglottis valida</i>        | Large Bird Orchid             | N      | Gr    |                  |            | 1969                | 1991                | Yes                 | r/nc       | BMNR     | DSF, CK       |
| Orchidaceae                   | <i>Corunastylis clivicola</i>     | Rufous Midge Orchid           | N      | Gr    | GML              | r/nc       | 1972                | 2001                | Yes                 | w/nc       | BMNR     | DSF           |
| Orchidaceae                   | <i>Corunastylis cornuta</i>       | Horned Midge Orchid           | N      | Gr    | GML              | not given  | 1960s               | 2002                | Yes                 | r/nc       | BMNR     | DSF           |
| Orchidaceae                   | <i>Corysanthes hispida</i>        | Bristly Helmet Orchid         | N      | Gr    |                  |            |                     | 1993                | Yes                 | vr/lc      | BMNR     | CK            |
| Orchidaceae                   | <i>Corysanthes incurva</i>        | Slaty Helmet Orchid           | N      | Gr    | GML              | r/lc       | 1964                | 2012                | Yes                 | vr/lc      | BMNR     | CK            |
| Orchidaceae                   | <i>Cyrtostylis reniformis</i>     | Common Gnat Orchid            | N      | Gr    | GML              | s/lc       | 1964                | 2012                | Yes                 | r/lc       | BMNR     | DSF, CK       |
| Orchidaceae                   | <i>Diplodidium revolutum</i>      | A greenhood                   | N      | Gr    | GML              | r/lc       | 1969                | 2002                | Yes                 | s/lc       | BMNR     | DSF           |
| Orchidaceae                   | <i>Diplodidium truncatum</i>      | Little Dumpies                | N      | Gr    | GML              | r/r        | 1959                |                     | Yes                 | r/nc       | BMNR     | DSF           |
| Orchidaceae                   | <i>Dipodium roseum</i>            | Rosy Hyacinth Orchid          | N      | Gr    |                  |            | 1975                | 1991                | Yes                 | r/r        | BMNR     | DSF, CK       |
| Orchidaceae                   | <i>Diuris chryseopsis</i>         | Golden Moths                  | N      | Gr    | GML              | s/lc       | 1964                |                     | Yes                 | r/r        | BMNR     | GW            |
| Orchidaceae                   | <i>Diuris nigromontana</i>        | Black Mountain Leopard Orchid | N      | Gr    | GML              | w/c        | 1976                | 2011                | Yes                 | w/lc       | BMNR     | DSF, GW       |
| Orchidaceae                   | <i>Diuris pardina</i>             | Leopard Doubletail            | N      | Gr    |                  |            |                     |                     | Yes                 | r/r        | BMNR     | DSF           |
| Orchidaceae                   | <i>Diuris semilunulata</i>        | Late Leopard Orchid           | N      | Gr    |                  |            |                     | 2003                | Yes                 | r/r        | BMNR     | DSF           |



| Plant names, origin and habit |  |                          |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|--|--------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name                        | Common Name              | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Orchidaceae                   | <i>Diuris sulphurea</i>                | Hornet Orchid            | N      | Gr    | GML              | w/c        | 1978                | 2012                | Yes       | w/lc       | BMNR     | DSF, GW       |
| Orchidaceae                   | <i>Eriochilus cucullatus</i>           | Parson's Bands           | N      | Gr    | GML              | s/nc       | 1976                | 2012                | Yes       | s/nc       | BMNR     | DSF, GW       |
| Orchidaceae                   | <i>Gastrodia sesamoides</i>            | Cinnamon Bells           | N      | Gr    |                  |            |                     | 2005                |           | vr/oc      | No       |               |
| Orchidaceae                   | <i>Hymenochilus bicolor</i>            | Black-tipped Greenhood   | N      | Gr    |                  |            |                     | 2003                | Yes       | r/nc       | BMNR     | GW            |
| Orchidaceae                   | <i>Hymenochilus cynocephalus</i>       | Swan Greenhood           | N      | Gr    | GML              | s/lc       | 1964                | 2005                | Yes       | r/lc       | BMNR     | GW            |
| Orchidaceae                   | <i>Hymenochilus muticus</i>            | Midget Greenhood         | N      | Gr    |                  |            | 1969                |                     | Yes       | r/r        | BMNR     | CK            |
| Orchidaceae                   | <i>Linguella nana</i>                  | Dwarf Greenhood          | N      | Gr    |                  |            |                     |                     | Yes       | vr/r       | BMNR     | DSF           |
| Orchidaceae                   | <i>Lyperanthus suaveolens</i>          | Brown Beaks              | N      | Gr    | GML              | not given  | 1978                | 2001                | Yes       | r/r        | BMNR     | DSF           |
| Orchidaceae                   | <i>Microtis arenaria</i>               | Common Onion Orchid      | N      | Gr    | GML              | s/lc       | 1964                |                     | Yes       | s/lc       | BMNR     | DSF           |
| Orchidaceae                   | <i>Microtis parviflora</i>             | Slender Onion Orchid     | N      | Gr    | GML              | s/lc       | 1969                | 1988                | Yes       | r/lc       | BMNR     | DSF, GW       |
| Orchidaceae                   | <i>Oligochaetochilus aciculiformis</i> | Needle-point Rustyhood   | N      | Gr    | GML              | r/nc       | 1962                | 1989                | Yes       | r/nc       | BMNR     | DSF           |
| Orchidaceae                   | <i>Orthoceras strictum</i>             | Horned Orchid            | N      | Gr    |                  |            |                     | 2011                | Yes       | vr/r       | BMNR     | DSF           |
| Orchidaceae                   | <i>Prasophyllum brevilabre</i>         | Short-lipped Leek Orchid | N      | Gr    | GML              | r/nc       | 1966                | 1991                | Yes       | r/lc       | BMNR     | DSF           |
| Orchidaceae                   | <i>Pterostylis nutans</i>              | Nodding Greenhood        | N      | Gr    | GML              | r/lc       | 1975                | 1990                | Yes       | w/c        | BMNR     | DSF, CK       |
| Orchidaceae                   | <i>Pterostylis pedunculata</i>         | Maroonhood               | N      | Gr    |                  |            |                     | 2006                | Yes       | r/nc       | BMNR     | CK            |
| Orchidaceae                   | <i>Speculantha rubescens</i>           | Blushing Tiny Greenhood  | N      | Gr    | GML              | s/nc       | 1975                | 2003                | Yes       | s/lc       | BMNR     | DSF           |
| Orchidaceae                   | <i>Thelymitra arenaria</i>             | Forest Sun Orchid        | N      | Gr    | spec             |            | 1953                | 2003                |           | r/r        | No       |               |
| Orchidaceae                   | <i>Thelymitra brevifolia</i>           | Short-leaved Sun Orchid  | N      | Gr    | GML              | w/fc       | 1979                | 2003                |           | r/r        | No       |               |
| Orchidaceae                   | <i>Thelymitra carnea</i>               | Tiny Sun Orchid          | N      | Gr    | GML              | s/lc       | 1963                | 2001                | Yes       | s/lc       | BMNR     | DSF, GW       |
| Orchidaceae                   | <i>Thelymitra juncifolia</i>           | Large-spotted Sun Orchid | N      | Gr    | GML              | s/fc       | 1979                | 2001                | Yes       | r/nc       | BMNR     | DSF, GW       |
| Orchidaceae                   | <i>Thelymitra megalyptra</i>           | Swollen Sun Orchid       | N      | Gr    |                  |            | 1975                | 1989                |           | r/r        | No       |               |
| Orchidaceae                   | <i>Thelymitra nuda</i>                 | Plain Sun Orchid         | N      | Gr    |                  |            |                     | 2002                |           | ?          | No       |               |
| Orchidaceae                   | <i>Thelymitra pauciflora</i>           | Slender Sun Orchid       | N      | Gr    |                  |            | 1975                | 2001                | Yes       | s/lc       | BMNR     | GW            |

| Plant names, origin and habit |   |                                   |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|---|-----------------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name                                   | Common Name                       | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Orchidaceae                   | <i>Thelymitra peniculata</i>                      | Trim Sun Orchid                   | N      | Gr    | spec             |            | 1963                | 1998                | Yes       | r/nc       | BMNR     | DSF, GW       |
| Orchidaceae                   | <i>Thelymitra simulata</i>                        | Collared Sun Orchid               | N      | Gr    |                  |            |                     | 2005                | Yes       | r/nc       | BMNR     | DSF, GW       |
| Orchidaceae                   | <i>Thelymitra x truncata</i>                      | Truncate Sun Orchid               | N      | Gr    |                  |            | 1979                | 2003                |           | r/r        | No       |               |
| Poaceae                       | <i>Agrostis capillaris</i>                        | Browntop Bentgrass, Browntop Bent | E      | G     | spec             |            | 1959                |                     | Yes       | r/nc       | BMNR     | CK            |
| Poaceae                       | <i>Agrostis gigantea</i>                          | Redtop Bentgrass, Redtop Bent     | E      | G     | GML              | vr/lc      | 1961                |                     |           |            | No       |               |
| Poaceae                       | <i>Agrostis venusta</i>                           | Graceful Bentgrass, Graceful Bent | N      | G     |                  |            |                     |                     | Yes       | r/lc       | BMNR     | D             |
| Poaceae                       | <i>Aira caryophyllea</i> var. <i>caryophyllea</i> | Silvery Hairgrass                 | E      | G     | GML              | w/fc       | 1964                |                     | Yes       | r/lc       | BMNR     | DSF           |
| Poaceae                       | <i>Aira cupaniana</i>                             | Silvery Hairgrass                 | E      | G     | GML              | w/vc       | 1958                | 1995                | Yes       | s/lc       | BMNR     | GW            |
| Poaceae                       | <i>Aira elegantissima</i>                         | Delicate Hairgrass                | E      | G     | GML              | w/fc       | 1980                | 1991                | Yes       | w/c        | BMNR     | DSF           |
| Poaceae                       | <i>Amphibromus nervosus</i>                       | Common Swamp Wallaby Grass        | N      | G     | GML              | vr/lc      | 1952                |                     | Yes       | r/nc       | BMNR     | CK            |
| Poaceae                       | <i>Anthosachne scabra</i>                         | Common Wheatgrass                 | N      | G     | GML              | s/fc       | 1959                |                     | Yes       | s/nc       | BMNR     | GW, DSF       |
| Poaceae                       | <i>Anthoxanthum odoratum</i>                      | Sweet Vernal Grass                | E      | G     |                  |            |                     |                     | Yes       | vr/lc      | BMNR     | HD            |
| Poaceae                       | <i>Aristida ramosa</i>                            | Purple Wire Grass                 | N      | G     | GML              | s/fc       | 1962                | 2011                |           | s/fc       | BMNR     | GW            |
| Poaceae                       | <i>Arrhenatherum elatius</i> var. <i>bulbosum</i> | Bulbous Oatgrass                  | E      | G     | GML              | r/r        | 1960s               |                     |           |            | No       |               |
| Poaceae                       | <i>Austrostipa bigeniculata</i>                   | Yanganbil, Knead Speargrass       | N      | G     | spec             |            | 1966                |                     | Yes       | r/r        | BMNR     | GW            |
| Poaceae                       | <i>Austrostipa densiflora</i>                     | Foxtail Speargrass                | N      | G     | GML              | s/lc       | 1969                | 2012                | Yes       | s/lc       | BMNR     | CK            |
| Poaceae                       | <i>Austrostipa ramosissima</i>                    | Stout Bamboo Grass                | NW     | G     |                  |            |                     |                     | Yes       | vr/oc      | BGN      | HD            |
| Poaceae                       | <i>Austrostipa scabra</i> subsp. <i>falcata</i>   | Slender Speargrass                | N      | G     | GML              | s/fc       | 1969                | 2010                | Yes       | r/r        | BMNR     | DSF           |
| Poaceae                       | <i>Avena barbata</i>                              | Bearded Oat                       | E      | G     | GML              | r/lc       | 1964                |                     | Yes       | s/nc       | BMNR     | HD            |
| Poaceae                       | <i>Avena fatua</i>                                | Wild Oat                          | E      | G     | GML              | r/lc       | 1969                |                     |           |            | No       |               |
| Poaceae                       | <i>Avena sterilis</i> subsp. <i>ludoviciana</i>   | Ludo Wild Oat                     | E      | G     | GML              | r/lc       | 1969                |                     |           |            | No       |               |
| Poaceae                       | <i>Bothriochloa macra</i>                         | Redleg Grass, Redgrass            | N      | G     | GML              | s/lc       | 1960                | 1982                | Yes       | s/fc       | BMNR     | GW            |
| Poaceae                       | <i>Briza maxima</i>                               | Quaking Grass                     | E      | G     | GML              | s/lc       | 1964                |                     | Yes       | s/nc       | BMNR     | HD            |
| Poaceae                       | <i>Briza minor</i>                                | Shivery Grass                     | E      | G     | GML              | w/fc       | 1964                |                     | Yes       | s/lc       | BMNR     | HD            |
| Poaceae                       | <i>Bromus catharticus</i>                         | Prairie Grass                     | E      | G     | GML              | s/lc       | 1976                |                     |           |            | No       |               |

| Plant names, origin and habit |  |                         |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|--|-------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name  | Common Name             | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Poaceae                       | <i>Bromus diandrus</i>                                 | Great Brome             | E      | G     | GML              | s/lc       | 1978                |                     | Yes       | s/lc       | BMNR     | HD            |
| Poaceae                       | <i>Bromus hordeaceus</i>                               | Soft Brome              | E      | G     | GML              | w/c        | 1971                |                     | Yes       | s/lc       | BMNR     | HD            |
| Poaceae                       | <i>Bromus inermis</i>                                  | Awnless Brome           | E      | G     | GML              | vr/oc      | 1964                |                     |           |            | No       |               |
| Poaceae                       | <i>Bromus madritensis</i>                              | Madrid Brome            | E      | G     | spec             |            | 1978                |                     |           |            | No       |               |
| Poaceae                       | <i>Bromus rubens</i>                                   | Red Brome               | E      | G     |                  |            |                     |                     | Yes       | s/lc       | BMNR     | HD            |
| Poaceae                       | <i>Chloris truncata</i>                                | Windmill Grass          | N      | G     | GML              | s/lc       | 1959                |                     | Yes       | s/c        | BMNR     | HD            |
| Poaceae                       | <i>Chloris virgata</i>                                 | Feathertop Rhodes Grass | E      | G     |                  |            |                     | 2007                |           | vr/lc      | BMNR     | HD            |
| Poaceae                       | <i>Cortaderia selloana</i>                             | Pampas Grass            | E      | G     |                  |            |                     |                     | Yes       | r/r        | BMNR     | CK            |
| Poaceae                       | <i>Cynodon dactylon</i> var. <i>dactylon</i>           | Couch                   | E      | G     | GML              | s/lc       | 1964                |                     | Yes       | s/lc       | BMNR     | HD            |
| Poaceae                       | <i>Cynosurus echinatus</i>                             | Rough Dog's-tail        | E      | G     |                  |            | 1980?               |                     | Yes       | r/r        | BMNR     | GW            |
| Poaceae                       | <i>Dactylis glomerata</i>                              | Cocksfoot               | E      | G     | GML              | r/lc       | 1969                |                     |           |            | No       |               |
| Poaceae                       | <i>Deyeuxia imbricata</i>                              | A bentgrass             | N      | G     | spec             |            | 1953                |                     |           |            | No       |               |
| Poaceae                       | <i>Deyeuxia quadriseta</i>                             | Reed bentgrass          | N      | G     | GML              | r/lc       | 1964                |                     | Yes       | r/lc       | BMNR     | CK            |
| Poaceae                       | <i>Dichelachne hirtella</i>                            | Plumegrass              | N      | G     | spec             |            | 1969                |                     |           |            | No       |               |
| Poaceae                       | <i>Dichelachne micrantha</i>                           | Short-haired Plumegrass | N      | G     | GML              | w/fc       | 1980                |                     | Yes       | s/lc       | BMNR     | DSF           |
| Poaceae                       | <i>Dichelachne sieberiana</i>                          | Delicate Plumegrass     | N      | G     | GML              |            | 1978                |                     | Yes       | r/lc       | BMNR     | DSF           |
| Poaceae                       | <i>Digitaria brownii</i>                               | Cotton Panicgrass       | N      | G     | GML              | r/lc       | 1962                |                     | Yes       | r/lc       | BMNR     | HD            |
| Poaceae                       | <i>Digitaria sanguinalis</i>                           | Crabgrass, Summergrass  | E      | G     | GML              | s/lc       | 1966                | 1981?               | Yes       | vr/oc      | BMNR     | HD            |
| Poaceae                       | <i>Echinopogon caespitosus</i> var. <i>caespitosus</i> | Bushy Hedgehog Grass    | N      | G     | GML              | s/lc       | 1964                | 2009                | Yes       | s/lc       | BMNR     | CK, D         |
| Poaceae                       | <i>Echinopogon cheelii</i>                             | Rough Bearded Grass     | N      | G     | GML              | r/lc       | 1969                |                     | Yes       | s/r        | BMNR     | CK            |
| Poaceae                       | <i>Echinopogon ovatus</i>                              | Forest Hedgehog Grass   | N      | G     | GML              | r/lc       | 1969                |                     | Yes       | s/lc       | BMNR     | DSF           |
| Poaceae                       | <i>Ehrharta erecta</i> var. <i>erecta</i>              | Panic Veldtgrass        | E      | G     |                  |            |                     |                     | Yes       | r/lc       | BMNR     | HD            |
| Poaceae                       | <i>Ehrharta longiflora</i>                             | Annual Veldtgrass       | E      | G     |                  |            |                     |                     | Yes       | s/lc       | BMNR     | HD            |
| Poaceae                       | <i>Eleusine tristachya</i>                             | Goose Grass             | E      | G     |                  |            |                     |                     | Yes       | r/oc       | BMNR     | HD            |
| Poaceae                       | <i>Enneapogon nigricans</i>                            | Nine-awned Grass        | N      | G     | GML              | s/lc       | 1966                |                     |           |            | No       |               |
| Poaceae                       | <i>Eragrostis brownii</i>                              | Brown's Lovegrass       | N      | G     | GML              | s/lc       | 1960s               |                     | Yes       | s/lc       | BMNR     | CK            |
| Poaceae                       | <i>Eragrostis cilianensis</i>                          | Stinkgrass              | E      | G     | GML              | s/lc       | 1964                |                     |           |            | No       |               |
| Poaceae                       | <i>Eragrostis curvula</i>                              | African Lovegrass       | E      | G     |                  |            |                     |                     | Yes       | r/lc       | BMNR     | HD            |
| Poaceae                       | <i>Eragrostis mexicana</i>                             | Mexican Lovegrass       | E      | G     | GML              | r/lc       | 1962                |                     |           |            | No       |               |

| Plant names, origin and habit |  |   |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|--|---|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name                                      | Common Name                               | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Poaceae                       | <i>Eragrostis trachycarpa</i>                        | Rough-grained Lovegrass, Annual Lovegrass | N      | G     | spec             |            | 1956                | 1982                | Yes       | r/r        | BMNR     | HD            |
| Poaceae                       | <i>Festuca arundinacea</i>                           | Tall Fescue                               | E      | G     | GML              | r/nc       | 1964                |                     | Yes       | r/lc       | BMNR     | CK            |
| Poaceae                       | <i>Festuca rubra</i>                                 | Red Fescue                                | E      | G     | GML              | r/lc       | 1971                |                     |           |            | No       |               |
| Poaceae                       | <i>Holcus lanatus</i>                                | Yorkshire Fog                             | E      | G     | GML              | s/lc       | 1961                |                     | Yes       | s/nc       | BMNR     | HD            |
| Poaceae                       | <i>Hordeum glaucum</i>                               | Northern Barleygrass                      | E      | G     | GML              | w/lc       | 1969                |                     |           | s/nc       | No       |               |
| Poaceae                       | <i>Lachnagrostis filiformis</i>                      | Blowngrass                                | N      | G     | GML              | w/c        | 1962                | 2009                | Yes       | s/nc       | BMNR     | D, CK         |
| Poaceae                       | <i>Lolium perenne</i>                                | Perennial Ryegrass                        | E      | G     | GML              | r/lc       | 1969                |                     |           |            | No       |               |
| Poaceae                       | <i>Lolium rigidum</i>                                | Wimmera Ryegrass                          | E      | G     | GML              | r/lc       | 1964                |                     | Yes       | r/nc       | BMNR     | HD            |
| Poaceae                       | <i>Microlaena stipoides</i> var. <i>stipoides</i>    | Weeping Grass                             | N      | G     | GML              | w/lc       | 1959                | 2003                | Yes       | w/lc       | BMNR     | DSF, GW, CK   |
| Poaceae                       | <i>Nassella megapotamia</i>                          | Short-spined Needlegrass                  | E      | G     | spec             |            | 1962                |                     |           |            | No       |               |
| Poaceae                       | <i>Nassella neesiana</i>                             | Chilean Needlegrass                       | E      | G     | spec             |            | 1962                |                     | Yes       | r/lc       | BMNR     | HD            |
| Poaceae                       | <i>Nassella trichotoma</i>                           | Serrated Tussock                          | E      | G     |                  |            |                     | 1999                | Yes       | s/nc       | BMNR     | HD            |
| Poaceae                       | <i>Panicum effusum</i>                               | Hairy Panic                               | N      | G     | GML              | s/lc       | 1963                |                     | Yes       | s/lc       | BMNR     | HD            |
| Poaceae                       | <i>Panicum gilvum</i>                                | Sweet Panic                               | E      | G     |                  |            |                     |                     | Yes       | s/nc       | BMNR     | HD            |
| Poaceae                       | <i>Paspalum dilatatum</i>                            | Paspalum                                  | E      | G     | GML              | r/lc       | 1956                |                     | Yes       | r/lc       | BMNR     | CK            |
| Poaceae                       | <i>Phalaris aquatica</i>                             | Phalaris, Toowoomba Canarygrass           | E      | G     | GML              | r/lc       | 1969                |                     | Yes       | r/nc       | BMNR     | HD            |
| Poaceae                       | <i>Phalaris canariensis</i>                          | Canarygrass                               | E      | G     | GML              | R/nc       | 1980                |                     |           |            | No       |               |
| Poaceae                       | <i>Piptatherum miliaceum</i>                         | Rice Millet                               | E      | G     | GML              | R/nc       | 1965                |                     |           |            | No       |               |
| Poaceae                       | <i>Poa annua</i>                                     | Annual Poa; Wintergrass                   | E      | G     | GML              | s/lc       | 1964                |                     | Yes       | r/r        | BMNR     | D             |
| Poaceae                       | <i>Poa bulbosa</i>                                   | Bulbous Poa                               | E      | G     | GML              | r/lc       | 1964                |                     |           |            | No       |               |
| Poaceae                       | <i>Poa labillardierei</i> var. <i>labillardierei</i> | Tussock grass; River Tussock Grass        | N      | G     |                  |            | 1971                |                     | Yes       | r/nc       | BMNR     | CK, DSF       |
| Poaceae                       | <i>Poa pratensis</i>                                 | Kentucky Bluegrass                        | E      | G     | spec             |            | 1952                |                     |           |            | No       |               |
| Poaceae                       | <i>Poa sieberiana</i> var. <i>cyanophylla</i>        | Blue-leaved Snow-grass                    | N      | G     |                  |            | 1978                |                     | Yes       | s/nc       | BMNR     | DSF           |
| Poaceae                       | <i>Poa sieberiana</i> var. <i>hirtella</i>           | Fine-leaved Snow-grass                    | N      | G     |                  |            | 1975                |                     |           |            | No       |               |
| Poaceae                       | <i>Poa sieberiana</i> var. <i>sieberiana</i>         | Snowgrass                                 | N      | G     | GML              |            | 1978                | 1998                | Yes       | w/lc       | BMNR     | DSF           |
| Poaceae                       | <i>Psilurus incurvus</i>                             | Bristle-tail Grass                        | E      | G     | GML              | r/lc       | 1964                |                     |           |            | No       |               |
| Poaceae                       | <i>Rostraria cristata</i>                            | Annual Cat's-tail                         | E      | G     | GML              | r/lc       | 1949                |                     |           |            | No       |               |

| Plant names, origin and habit |   |                               |        |       | 1969             | ≤1980      | 1981–2012           | Dec 2013 to Ap 2017 | 2007–2017 |            |          |               |
|-------------------------------|---|-------------------------------|--------|-------|------------------|------------|---------------------|---------------------|-----------|------------|----------|---------------|
| Family Name                   | Scientific Name                         | Common Name                   | Origin | Habit | Source of record | D/A rating | Year of last record | Year of last record | Recorded? | D/A rating | Location | Broad habitat |
| Poaceae                       | <i>Rytidosperma auriculatum</i>         | Lobed Wallaby Grass           | N      | G     | GML              | s/fc       | 1969                |                     |           |            | No       |               |
| Poaceae                       | <i>Rytidosperma caespitosum</i>         | Ringed Wallaby Grass          | N      | G     | GML              | w/c        | 1975                | 2005                | Yes       | w/c        | BMNR     | DSF, GW       |
| Poaceae                       | <i>Rytidosperma carphoides</i>          | Short Wallaby Grass           | N      | G     | GML              | w/c        | 1964                | 2005                | Yes       | r/nc       | BMNR     | GW            |
| Poaceae                       | <i>Rytidosperma duttonianum</i>         | Brown-back Wallaby Grass      | N      | G     | GML              | r/nc       | 1976                | 2005                |           |            | No       |               |
| Poaceae                       | <i>Rytidosperma erianthum</i>           | Hill Wallaby Grass            | N      | G     | GML              | w/c        | 1969                | 2005                |           |            | No       |               |
| Poaceae                       | <i>Rytidosperma fulvum</i>              | Wallaby grass                 | N      | G     |                  |            | 1976                | 2005                |           |            | No       |               |
| Poaceae                       | <i>Rytidosperma laeve</i>               | Bare-backed Wallaby Grass     | N      | G     | GML              | s/fc       | 1969                | 2011                |           | vr/oc      | BMNR     | ?             |
| Poaceae                       | <i>Rytidosperma monticola</i>           | Wallaby Grass                 | N      | G     | GML              | s/fc       | 1964                | 2005                | Yes       | s/lc       | BMNR     | DSF           |
| Poaceae                       | <i>Rytidosperma pallidum</i>            | Red-anthered Wallaby Grass    | N      | G     | GML              | w/vc       | 1976                | 2011                | Yes       | w/vc       | BMNR     | DSF           |
| Poaceae                       | <i>Rytidosperma penicillatum</i>        | Slender Wallaby Grass         | N      | G     | GML              | s/lc       | 1961                |                     |           |            | No       |               |
| Poaceae                       | <i>Rytidosperma pilosum</i>             | Smooth-flowered Wallaby Grass | N      | G     | GML              | w/fc       | 1964                | 2005                | Yes       | r/nc       | BMNR     | DSF           |
| Poaceae                       | <i>Rytidosperma racemosum</i>           | Striped Wallaby Grass         | N      | G     | GML              | s/lc       | 1964                | 2005                | Yes       | r/nc       | BMNR     | GW            |
| Poaceae                       | <i>Rytidosperma tenuius</i>             | Purplish Wallaby Grass        | N      | G     | GML              | s/lc       | 1978                | 2005                |           |            | No       |               |
| Poaceae                       | <i>Secale cereale</i>                   | Rye                           | E      | G     | GML              | r/lc       | 1964                |                     |           |            | No       |               |
| Poaceae                       | <i>Setaria italica</i>                  | Italian Millet                | E      | G     | GML              | R/r        | 1966                |                     |           |            | No       |               |
| Poaceae                       | <i>Setaria parviflora</i>               | Slender Pigeongrass           | E      | G     | spec             |            | 1967                |                     | Yes       | r/nc       | BMNR     | HD            |
| Poaceae                       | <i>Sorghum leiocladum</i>               | Wild Sorghum                  | N      | G     | GML              | s/lc       | 1930                |                     | Yes       | r/r        | BMNR     | GW            |
| Poaceae                       | <i>Sporobolus africanus</i>             | Parramatta Grass              | E      | G     |                  |            |                     |                     | Yes       | r/nc       | BMNR     | HD            |
| Poaceae                       | <i>Themeda triandra</i>                 | Kangaroo Grass                | N      | G     | GML              | w/fc       | 1970                | 2011                | Yes       | s/fc       | BMNR     | GW            |
| Poaceae                       | <i>Tripogon loliiformis</i>             | Five Minute Grass             | N      | G     | GML              | s/lc       | 1946                |                     | Yes       | r/lc       | BMNR     | GW            |
| Poaceae                       | <i>Vulpia bromoides</i>                 | Squirrel-tail Fescue          | E      | G     | GML              | w/fc       | 1960s               |                     | Yes       | s/lc       | BMNR     | DSF, GW       |
| Poaceae                       | <i>Vulpia muralis</i>                   | Wall Fescue                   | E      | G     | spec             |            | 1952                |                     |           |            | No       |               |
| Poaceae                       | <i>Vulpia myuros</i> f. <i>megalura</i> | Rat's-tail Fescue             | E      | G     | GML              | r/lc       | 1964                |                     | Yes       | s/lc       | BMNR     | DSF, GW       |
| Poaceae                       | <i>Vulpia myuros</i> f. <i>myuros</i>   | Rat's-tail Fescue             | E      | G     | GML              | w/fc       | 1952                |                     |           |            | No       |               |
| Typhaceae                     | <i>Typha orientalis</i>                 | Broad-leaved Cumbungee        | N      | A     | GML              | r/lc       | 1960s               |                     | Yes       | vr/lc      | BMNR     | CK            |

## Species with no verifiable record from the Black Mountain area since the end of 1980

## Explanation of codes

| Origin <sup>a</sup><br>(column 5) |             | Habit <sup>b</sup><br>(column 6) |           | Missing species category <sup>c</sup><br>(column 7)         |   | Status in ACT Census <sup>d</sup><br>(column 8) |                              |
|-----------------------------------|-------------|----------------------------------|-----------|---|---|---|------------------------------|
| E                                 | Exotic      | F                                | Forb      | <b>Species probably no longer present in Black Mtn area</b> |   | DN  | Doubtfully naturalised       |
| N                                 | Indigenous  | Fe                               | Fern      | DRW   | Probably destroyed by roadworks   | FN  | Formerly naturalised         |
| NW                                | Native weed | G                                | Grass     | GLI   | Good location information but not relocated                               | NLP   | No longer present in the ACT |
|                                   |             | Gr                               | Graminoid | OOV   | One-off record as a probable vagrant                                      |   |                              |
| U                                 | Uncertain   | S                                | Shrub     | RD  | Associated only with rubbish dump in 1969 list                            |   |                              |
|                                   |             | SS                               | Subshrub  | <b>Species probably outside defined Black Mtn area</b>      |   |   |                              |
|                                   |             |                                  |           | CSIRO   | Species a probable escapee into area N of CSIRO (excluded from 2017 area) |   |                              |
|                                   |             |                                  |           | DHN   | Deduced from herbarium specimen notes and 1969 distribution               |   |                              |
|                                   |             |                                  |           | GS  | Probably a grassland species outside current area                         |   |                              |
|                                   |             |                                  |           | <b>Other</b>  |   |   |                              |
|                                   |             |                                  |           | DS  | Species associated with highly disturbed areas in 1969                    |   |                              |
|                                   |             |                                  |           | PMD   | Species possibly mis-identified   |   |                              |

<sup>a</sup> Definitions of origin categories are provided in Table 1 of the report.

<sup>b</sup> Definitions of habit categories are provided in Table 2 of the report.

<sup>c</sup> Missing species category codes are described in more detail in section 3.3 of the report.

<sup>d</sup> Explanations of these terms are provided in Lepschi et al. (2017); all other species in the table below are current in the ACT Plant Census.

| Family Name             | Scientific name                   | Common Name          | Year of last pre-1981 collection | Origin | Habit | Category code | ACT Census status |
|-------------------------|-----------------------------------|----------------------|----------------------------------|--------|-------|---------------|-------------------|
| <b>Ferns</b>            |                                   |                      |                                  |        |       |               |                   |
| Aspleniaceae            | <i>Pleurosorus subglandulosus</i> | A fern               | 1962                             | N      | Fe    |               |                   |
| Blechnaceae             | <i>Blechnum cartilagineum</i>     | Gristle Fern         | 1978                             | N      | Fe    | GLI           |                   |
| <b>Flowering plants</b> |                                   |                      |                                  |        |       |               |                   |
| Aizoaceae               | <i>Carpobrotus aequilaterus</i>   | Chilean Pigface      | 1964                             | E      | SS    | DRW           | NLP               |
| Amaranthaceae           | <i>Amaranthus powellii</i>        | Powell's Amaranth    | 1972                             | E      | F     | DS            |                   |
| Asteraceae              | <i>Centipeda elatinoides</i>      | Spreading Sneezeweed | 1962                             | N      | F     |               |                   |
| Asteraceae              | <i>Helianthus tuberosus</i>       | Jerusalem Artichoke  | 1963                             | E      | F     | DS            | NLP               |
| Asteraceae              | <i>Isoetopsis graminifolia</i>    | Grass Cushions       | 1960s                            | N      | F     |               |                   |

|                 |   |                                      |       |   |    |     |     |
|-----------------|---|--------------------------------------|-------|---|----|-----|-----|
| Asteraceae      | <i>Lactuca saligna</i>                                    | Wild Lettuce                         | 1962  | E | F  | OOV |     |
| Asteraceae      | <i>Ozothamnus conditus</i>                                | Sprawling Everlastingbush            | 1962  | N | S  | GLI |     |
| Asteraceae      | <i>Senecio linearifolius</i> var. <i>latifolius</i>       | Fireweed Groundsel                   | 1980? | N | F  |     |     |
| Asteraceae      | <i>Silybum marianum</i>                                   | Variegated Thistle                   | 1971  | E | F  |     |     |
| Asteraceae      | <i>Stuartina hamata</i>                                   | Hooked Cudweed                       | 1961  | N | F  | DS  |     |
| Asteraceae      | <i>Taraxacum</i> sect. <i>Taraxacum</i>                   | Dandelion                            | 1964  | E | F  |     |     |
| Asteraceae      | <i>Tragopogon porrifolius</i> subsp. <i>porrifolius</i>   | Salsify                              | 1969  | E | F  |     |     |
| Asteraceae      | <i>Xanthium spinosum</i>                                  | Bathurst Burr                        | 1980  | E | F  |     |     |
| Boraginaceae    | <i>Buglossoides arvensis</i>                              | Corn Gromwell                        | 1954  | E | F  |     |     |
| Boraginaceae    | <i>Cynoglossum australe</i>                               | Australian Hound's Tongue            | 1939  | N | F  |     |     |
| Brassicaceae    | <i>Brassica rapa</i>                                      | Mediterranean Turnip                 | 1962  | E | F  | RD  |     |
| Brassicaceae    | <i>Capsella bursa-pastoris</i>                            | Shepherd's Purse                     | 1964  | E | F  |     |     |
| Brassicaceae    | <i>Erophila verna</i> subsp. <i>verna</i>                 | Whitlowgrass                         | 1964  | E | F  |     |     |
| Brassicaceae    | <i>Lepidium didymum</i>                                   | Peppercress                          | 1965  | E | F  | RD  |     |
| Brassicaceae    | <i>Sisymbrium officinale</i>                              | Hedge Mustard                        | 1980  | E | F  | RD  |     |
| Campanulaceae   | <i>Lobelia pedunculata</i>                                | Matted Pratia                        | 1950  | N | F  |     |     |
| Campanulaceae   | <i>Wahlenbergia gracilentia</i>                           | Annual Bluebell                      | 1961  | N | F  | DS  |     |
| Campanulaceae   | <i>Wahlenbergia littoricola</i> subsp. <i>littoricola</i> | A native bluebell                    | 1975  | N | F  | PMD |     |
| Caryophyllaceae | <i>Cerastium balearicum</i>                               | Balaeric Mouse-eared Chickweed       | 1964  | E | F  |     | NLP |
| Caryophyllaceae | <i>Petrorhagia dubia</i>                                  | Velvet Pink                          | 1935  | E | F  |     |     |
| Caryophyllaceae | <i>Spergula arvensis</i>                                  | Corn Spurrey                         | 1958? | E | F  | RD  | FN  |
| Caryophyllaceae | <i>Stellaria multiflora</i> subsp. <i>collaris</i>        | A starwort                           | 1964  | N | F  |     |     |
| Caryophyllaceae | <i>Stellaria multiflora</i> subsp. <i>nebulosa</i>        | Rayless Starwort                     | 1964  | N | F  |     |     |
| Chenopodiaceae  | <i>Dysphania multifida</i>                                | Scented Goosefoot                    | 1960s | E | F  |     |     |
| Colchicaceae    | <i>Burchardia umbellata</i>                               | Milkmaids                            | 1964  | N | Gr |     |     |
| Crassulaceae    | <i>Crassula colligata</i> subsp. <i>colligata</i>         |                                      | 1978  | N | F  |     |     |
| Crassulaceae    | <i>Crassula decumbens</i> var. <i>decumbens</i>           | Spreading Crassula, Rufous Stonecrop | 1964  | N | F  |     |     |
| Crassulaceae    | <i>Sedum praealtum</i> subsp. <i>praealtum</i>            | Stonecrop                            | 1962  | E | S  | RD  | NLP |
| Cucurbitaceae   | <i>Citrullus amarus</i>                                   | Wild Melon, Bitter Melon             | 1962  | E | F  | GLI |     |
| Cyperaceae      | <i>Isolepis platycarpa</i>                                | Flatfruit Clubsedge                  | 1949  | N | Gr |     |     |
| Cyperaceae      | <i>Isolepis subtilissima</i>                              | Dwarf Clubsedge                      | 1953  | N | Gr |     |     |
| Cyperaceae      | <i>Schoenus latelaminatus</i>                             | Medusa Bogsedge                      | 1953  | N | Gr |     |     |

|                |   |                               |       |    |    |       |     |
|----------------|---|-------------------------------|-------|----|----|-------|-----|
| Ericaceae      | <i>Lissanthe strigosa</i> subsp. <i>subulata</i>      | Peach Heath                   | 1949  | N  | S  |       |     |
| Ericaceae      | <i>Styphelia triflora</i>                             | Five-corners                  | 1973  | N  | S  |       |     |
| Fabaceae       | <i>Desmodium brachypodium</i>                         | Large Tick Trefoil            | 1971  | N  | F  |       |     |
| Fabaceae       | <i>Genista monspessulana</i>                          | Montpellier Broom             | 1962  | E  | S  | DRW   |     |
| Fabaceae       | <i>Lotus australis</i> var. <i>australis</i>          | Australian Trefoil            | 1969  | N  | F  | GS    |     |
| Fabaceae       | <i>Medicago arabica</i>                               | Spotted Medic                 | 1952  | E  | F  |       |     |
| Fabaceae       | <i>Medicago lupulina</i>                              | Black Medic                   | 1975  | E  | F  |       |     |
| Fabaceae       | <i>Medicago minima</i>                                | Woolly-burred Medic           | 1960s | E  | F  |       |     |
| Fabaceae       | <i>Medicago polymorpha</i>                            | Burred Medic                  | 1980  | E  | F  |       |     |
| Fabaceae       | <i>Medicago truncatula</i>                            | Barrel medic                  | 1964  | E  | F  | DS    | FN  |
| Fabaceae       | <i>Robinia pseudoacacia</i>                           | Black Locust                  | 1980  | E  | S  | GLI   |     |
| Fabaceae       | <i>Swainsona monticola</i>                            | Notched Swainson-pea          | 1953  | N  | F  | GS    |     |
| Fabaceae       | <i>Swainsona recta</i>                                | Small Purple Pea              | 1939  | N  | F  |       |     |
| Fabaceae       | <i>Vicia disperma</i>                                 | French Tiny Vetch             | 1959  | E  | F  | CSIRO |     |
| Geraneaceae    | <i>Erodium botrys</i>                                 | Long Storksbill               | 1960s | E  | F  | RD    |     |
| Geraniaceae    | <i>Erodium cicutarium</i>                             | Common Storksbill             | 1980? | E  | F  |       |     |
| Goodeniaceae   | <i>Goodenia ovata</i>                                 |                               | 1969  | NW | S  | OOV   |     |
| Haloragaceae   | <i>Myriophyllum crispatum</i>                         | Upright Water Milfoil         | 1964  | N  | F  |       |     |
| Juncaceae      | <i>Juncus filicaulis</i>                              | Thread Rush                   | 1960s | N  | Gr |       |     |
| Juncaceae      | <i>Luzula flaccida</i>                                | Pale Woodrush                 | 1975  | N  | Gr |       |     |
| Juncaceae      | <i>Luzula meridionalis</i>                            | Field Woodrush                | 1975  | N  | Gr |       |     |
| Lamiaceae      | <i>Prunella vulgaris</i>                              | Selfheal                      | 1964  | E  | F  | DS    |     |
| Malvaceae      | <i>Malva parviflora</i>                               | Small-flowered Mallow         | 1964  | E  | F  |       |     |
| Onagraceae     | <i>Oenothera stricta</i> subsp. <i>stricta</i>        | Evening Primrose              | 1959? | E  | F  | DS    |     |
| Orchidaceae    | <i>Caladenia filamentosa</i>                          | Daddy Long-legs               | 1975  | N  | Gr |       |     |
| Papaveraceae   | <i>Eschscholzia californica</i>                       | Californian Poppy             | 1960s | E  | F  | RD    |     |
| Papaveraceae   | <i>Papaver hybridum</i>                               | Rough Poppy                   | 1964  | E  | F  |       |     |
| Papaveraceae   | <i>Papaver rhoeas</i>                                 | Field Poppy                   | 1965  | E  | F  | RD    | NLP |
| Phrymaceae     | <i>Limosella australis</i>                            | Mudwort                       | 1964  | N  | F  |       |     |
| Plantaginaceae | <i>Veronica derwentiana</i> subsp. <i>derwentiana</i> | Derwent Speedwell             | 1938  | N  | SS |       |     |
| Plantaginaceae | <i>Veronica peregrine</i> subsp. <i>xalapensis</i>    | Wandering Speedwell           | 1960s | E  | F  |       |     |
| Poaceae        | <i>Agrostis gigantea</i>                              | Redtop Bentgrass, Redtop Bent | 1961  | E  | G  | DHN   | NLP |
| Poaceae        | <i>Arrhenatherum elatius</i> var. <i>bulbosum</i>     | Bulbous Oatgrass              | 1960s | E  | G  | CSIRO | NLP |
| Poaceae        | <i>Avena fatua</i>                                    | Wild Oat                      | 1969  | E  | G  | DS    |     |
| Poaceae        | <i>Avena sterilis</i> subsp. <i>ludoviciana</i>       | Ludo Wild Oat                 | 1969  | E  | G  | CSIRO | FN  |



|               |  |                                |       |   |   |       |     |
|---------------|--|--------------------------------|-------|---|---|-------|-----|
| Poaceae       | <i>Bromus catharticus</i>                  | Prairie Grass                  | 1976  | E | G |       |     |
| Poaceae       | <i>Bromus inermis</i>                      | Awnless Brome                  | 1964  | E | G |       | NLP |
| Poaceae       | <i>Bromus madritensis</i>                  | Madrid Brome                   | 1978  | E | G |       |     |
| Poaceae       | <i>Dactylis glomerata</i>                  | Cocksfoot                      | 1969  | E | G |       |     |
| Poaceae       | <i>Deyeuxia imbricata</i>                  | A bentgrass                    | 1953  | N | G |       |     |
| Poaceae       | <i>Dichelachne hirtella</i>                | Plumegrass                     | 1969  | N | G |       |     |
| Poaceae       | <i>Enneapogon nigricans</i>                | Nine-awned Grass               | 1966  | N | G |       |     |
| Poaceae       | <i>Eragrostis cilianenses</i>              | Stinkgrass                     | 1964  | E | G | DS    |     |
| Poaceae       | <i>Eragrostis mexicana</i>                 | Mexican Lovegrass              | 1962  | E | G | DS    |     |
| Poaceae       | <i>Festuca rubra</i>                       | Red Fescue                     | 1971  | E | G |       |     |
| Poaceae       | <i>Hordeum glaucum</i>                     | Northern Barleygrass           | 1969  | E | G | DS    |     |
| Poaceae       | <i>Lolium perenne</i>                      | Perennial Ryegrass             | 1969  | E | G |       |     |
| Poaceae       | <i>Nassella megapotamia</i>                | Short-spined Needlegrass       | 1962  | E | G | CSIRO | NLP |
| Poaceae       | <i>Phalaris canariensis</i>                | Canarygrass                    | 1980  | E | G | RD    | NLP |
| Poaceae       | <i>Piptatherum miliaceum</i>               | Rice Millet                    | 1965  | E | G | RD    | NLP |
| Poaceae       | <i>Poa bulbosa</i>                         | Bulbous Poa                    | 1964  | E | G |       |     |
| Poaceae       | <i>Poa pratensis</i>                       | Kentucky Bluegrass             | 1952  | E | G | CSIRO |     |
| Poaceae       | <i>Poa sieberiana</i> var. <i>hirtella</i> | Fine-leaved Snow-grass         | 1975  | N | G |       |     |
| Poaceae       | <i>Psilurus incurvus</i>                   | Bristle-tail Grass             | 1964  | E | G |       |     |
| Poaceae       | <i>Rostraria cristata</i>                  | Annual Cat's-tail              | 1949  | E | G |       |     |
| Poaceae       | <i>Rytidosperma auriculatum</i>            | Lobed Wallaby Grass            | 1969  | N | G |       |     |
| Poaceae       | <i>Rytidosperma penicillatum</i>           | Slender Wallaby Grass          | 1961  | N | G |       |     |
| Poaceae       | <i>Secale cereale</i>                      | Rye                            | 1964  | E | G | CSIRO |     |
| Poaceae       | <i>Setaria italica</i>                     | Italian Millet                 | 1966  | E | G | RD    |     |
| Poaceae       | <i>Vulpia muralis</i>                      | Wall Fescue                    | 1952  | E | G |       |     |
| Poaceae       | <i>Vulpia myuros</i> f. <i>myuros</i>      | Rat's-tail Fescue              | 1952  | E | G | DS    |     |
| Polygonaceae  | <i>Rumex conglomeratus</i>                 | Clustered Dock                 | 1965  | E | F | RD    |     |
| Polygonaceae  | <i>Rumex dumosus</i>                       | Wiry Dock                      | 1960s | N | F |       |     |
| Proteaceae    | <i>Hakea microcarpa</i>                    | Jaradinty, Small-fruited Hakea | 1949  | N | S |       |     |
| Rosaceae      | <i>Aphanes arvensis</i>                    | Parsley Piert                  | 1949  | E | F |       |     |
| Rosaceae      | <i>Rubus loganobaccus</i>                  | Loganberry                     | 1960  | E | S | DHN   | DN  |
| Thymelaeaceae | <i>Pimelea glauca</i>                      | Smooth Riceflower              | 1949  | N | S |       |     |
| Violaceae     | <i>Viola caleyana</i>                      | Swamp Violet                   | 1972  | U | F |       |     |